

Autoreducibility, Mitoticity, and Immunity

Christian Glaßer*, Mitsunori Ogihara†, A. Pavan‡, Alan L. Selman§, Liyu Zhang¶

December 27, 2004

Abstract

We show the following results regarding complete sets.

- NP-complete sets and PSPACE-complete sets are many-one autoreducible.
- Complete sets of any level of PH, MODPH, or the Boolean hierarchy over NP are many-one autoreducible.
- EXP-complete sets are many-one mitotic.
- NEXP-complete sets are weakly many-one mitotic.
- PSPACE-complete sets are weakly Turing-mitotic.
- If one-way permutations and quick pseudo-random generators exist, then NP-complete languages are m -mitotic.
- If there is a tally language in $\text{NP} \cap \text{coNP} - \text{P}$, then, for every $\epsilon > 0$, NP-complete sets are not $2^{n(1+\epsilon)}$ -immune.

These results solve several of the open questions raised by Buhrman and Torenvliet in their 1994 survey paper on the structure of complete sets.

1 Introduction

We solve several open questions identified by Buhrman and Torenvliet in their 1994 survey paper on the structure of complete sets [BT94]. It is important to study the computational structure of complete sets, because they, by reductions of all the sets in the class to the complete sets, represent all of the structure that a class might have. For this reason, complete sets might have simpler computational structure than some other sets in the class. Here we focus attention primarily on autoreducibility, mitoticity, and immunity.

Trakhtenbrot [Tra70] introduced the notion of autoreducibility in a recursion theoretic setting. A set A is *autoreducible* if there is an oracle Turing machine M such that $A = L(M^A)$ and M on input x never queries x . Ladner [Lad73] showed that there exist Turing-complete recursively enumerable sets that are not autoreducible. Ambos-Spies [AS84] introduced the polynomial-time

*Lehrstuhl für Theoretische Informatik, Universität Würzburg. Email: glasser@informatik.uni-wuerzburg.de.

†Department of Computer Science, University of Rochester. Email:ogihara@cs.rochester.edu. Research supported in part by NSF grants EIA-0080124, EIA-0205061, and NIH grant P30-AG18254

‡Department of Computer Science, Iowa State University. Research supported in part by NSF grants CCR-0344817 and CCF-0430807. Email: pavan@cs.iastate.edu

§Department of Computer Science and Engineering, University at Buffalo. Research supported in part by NSF grant CCR-0307077. Email: selman@cse.buffalo.edu

¶Department of Computer Science, University at Buffalo. Email:lzhang7@cse.buffalo.edu

variant of autoreducibility, where we require the oracle Turing machine to run in polynomial time. Yao [Yao90] introduced the notion of coherence, which coincides with probabilistic polynomial-time autoreducibility. In this paper, we assume that all reductions are polynomial-time computable. In particular, we write “autoreducible” to mean “polynomial-time autoreducible.”

The question of whether complete sets for various classes are autoreducible has been studied extensively [Yao90, BF92, BFvMT00]. Beigel and Feigenbaum [BF92] showed that Turing complete sets for the classes that form the polynomial-time hierarchy, Σ_i^P , Π_i^P , and Δ_i^P , are Turing autoreducible. Thus, all Turing complete sets for NP are Turing autoreducible. Buhrman et al. [BFvMT00] showed that Turing complete sets for EXP and Δ_i^{EXP} are autoreducible, whereas there exists a Turing complete set for EESPACE that is not Turing auto-reducible. They showed that answering questions about autoreducibility of intermediate classes result in interesting separation results. Regarding NP, Buhrman et al. [BFvMT00] showed that all truth-table complete sets for NP are probabilistic truth-table autoreducible. Thus, all NP-complete sets are probabilistic truth-table autoreducible.

Buhrman and Torenvliet [BT94] asked whether all NP-complete sets are many-one autoreducible and whether all PSPACE-complete sets are many-one autoreducible. We resolve these questions positively: all NP-complete sets and PSPACE-complete sets are (unconditionally) many-one autoreducible. We generalize the two results to show that for each class in MODPH [HLS⁺93] (the hierarchy constructed by applying to P a constant number of operators chosen from $\{\exists, \forall\} \cup \{\text{MOD}_k, \text{coMOD}_k \mid k \geq 2\}$), all of its nontrivial m -complete sets are m -autoreducible. We obtain as a corollary that no m -complete sets for NP, PSPACE, or for the classes of MODPH and $2n$ -generic.

Autoreducible sets can be thought of as sets having some redundant information. For example, if A is m -autoreducible by the reduction f , then x and $f(x)$ both contain the same information concerning whether x belongs to A . How much redundancy is there in complete sets? Informally, an infinite set is *mitotic* if it can be partitioned into two equivalent parts. Thus, both parts contain the same information as the original set. Ladner [Lad73] introduced and studied mitoticity of recursively enumerable sets. Ambos-Spies [AS84] formulated two notions in the polynomial time setting, mitoticity and weak mitoticity. Also, he showed that every mitotic set is autoreducible. Here we settle some questions about mitoticity that Buhrman and Torenvliet raised in their 1994 survey paper. First, Buhrman, Hoene, Torenvliet [BHT98] proved that all EXP-complete sets are weakly many-one mitotic, and showed a partial result concerning mitoticity of NEXP-complete sets. Here we strengthen these two results. We prove that all EXP-complete sets are many-one mitotic. We also prove that all NEXP complete sets are weakly many-one mitotic. In addition, we show that PSPACE-complete sets are weakly Turing mitotic. Also, we show that if one-way permutations and quick pseudo-random generators exist, then NP-complete sets are many-one mitotic.

Now let us return to the statement that every mitotic set is autoreducible. We address the question of whether the converse holds [BT94]; that is, whether every autoreducible set is mitotic. We show that there exists an m -autoreducible non- m -mitotic set only if $P \neq \text{PSPACE}$.

In Section 5, we study the question of whether NP-complete sets have easy subsets. Berman [Ber77] showed that EXP-complete sets are not P-immune, and Tran [Tra95] showed that NEXP-complete sets are not P-immune. However, we do not have such unconditional results for NP-complete sets. Glaßer *et al.* [GPSS04] showed that if one-way permutations exist, then NP-complete sets are not 2^{n^ϵ} -immune. Here we provide another partial result in this direction. In Section 5 we show that if there exists a tally language in $\text{NP} \cap \text{coNP} - \text{P}$, then every NP-complete set includes an infinite subset that is recognizable in time $2^{n(1+\epsilon)}$.

We conclude this paper with results on a few additional properties of complete sets. In Section 6

we show, under a reasonable hypothesis about the complexity class UP, that every NP-complete set is exponentially-honest complete. Exponentially-honest reductions were defined and studied by Ganesan and Homer [GH92]. Section 7 studies robustness of complete sets. We prove that if a set A is Turing complete for NP and S is a log-dense set, then $A - S$ remains Turing complete for NP. This result is easier to prove than Buhrman and Torenvliet's [BT04] similar result about EXP.

2 Preliminaries

We use standard notation and assume familiarity with standard resource-bounded reductions. We consider words in lexicographic order. All reductions in the paper are polynomial-time computable.

Definition 2.1 ([AS84]). A set A is *polynomially T -autoreducible* (T -autoreducible, for short) if there exists a polynomial-time-bounded oracle Turing machine M such that $A = L(M^A)$ and for all x , M on input x never queries x . A set A is *polynomially m -autoreducible* (m -autoreducible, for short) if $A \leq_m^p A$ via a reduction function f such that for all x , $f(x) \neq x$.

Definition 2.2 ([AS84]). A recursive set A is *polynomial-time $m(T)$ -mitotic* ($m(T)$ -mitotic, for short) if there exists a set $B \in \mathcal{P}$ such that:

$$A \equiv_{m(T)}^p A \cap B \equiv_{m(T)}^p A \cap \overline{B}.$$

A recursive set A is *polynomial-time weakly $m(T)$ -mitotic* (weakly $m(T)$ -mitotic, for short) if there exist disjoint sets A_0 and A_1 such that $A_0 \cup A_1 = A$, and

$$A \equiv_{m(T)}^p A_0 \equiv_{m(T)}^p A_1.$$

In general, for a reducibility type r , r -autoreducible sets are sets that are autoreducible with respect to \leq_r^p -reductions. The same convention is used for mitotic sets.

A language is *DTIME($T(n)$)-complex* if L does not belong to $\text{DTIME}(T(n))$ almost everywhere; that is, every Turing machine M that accepts L runs in time greater than $T(|x|)$, for all but finitely many words x . A language L is *immune* to a complexity class \mathcal{C} , or \mathcal{C} -*immune*, if L is infinite and no infinite subset of L belongs to \mathcal{C} . A language L is *bi-immune* to a complexity class \mathcal{C} , or \mathcal{C} -*bi-immune*, if both L and \overline{L} are \mathcal{C} -immune. Balcázar and Schöning [BS85] proved that for every time-constructible function T , L is $\text{DTIME}(T(n))$ -complex if and only if L is bi-immune to $\text{DTIME}(T(n))$.

3 Autoreducibility

Since EXP-complete sets are complete with respect to length-increasing reductions [Ber77], they are m -autoreducible. Ganesan and Homer [GH92] showed that NEXP-complete sets are complete with 1-1 reductions. This implies that all NEXP-complete sets are also m -autoreducible. To see this, consider a 1-1 reduction from $0L \cup 1L$ to L , where L is the given NEXP-complete set. These techniques cannot be applied to NP-complete sets, as we do not know any unconditional result on the degree structure of NP-complete sets. Some partial results are known for NP-complete sets. Beigel and Feigenbaum [BF92] showed that Turing completes for NP are T -autoreducible. Buhrman et al. [BFvMT00] showed that all truth-table complete sets for NP are probabilistic tt -autoreducible. It has not been known whether NP-complete sets are m -autoreducible. Buhrman and Torenvliet raised this question in their survey papers [BT94, BT98]. Below, we resolve this question.

Note that singletons and complements of singletons cannot be m -autoreducible. Therefore, in connection with m -autoreducibility, a set L is called *nontrivial* if $|L| > 1$ and $|\bar{L}| > 1$.

Theorem 3.1. *All nontrivial NP-complete sets are m -autoreducible.*

Proof. Let L be NP-complete and let M be a nondeterministic machine that accepts L . For a suitable polynomial p we can assume that on input x , all computation paths of M have length $p(|x|)$. Since L is nontrivial, there exist different words $y_1, y_2 \in L$ and $\bar{y}_1, \bar{y}_2 \in \bar{L}$. We use the left set technique of Ogiwara and Watanabe [OW91]. Let

$$\text{Left}(L) \stackrel{\text{df}}{=} \{ \langle x, u \rangle \mid |u| = p(|x|) \text{ and } \exists v, |v| = |u|, \text{ such that} \\ u \leq v \text{ and } M(x) \text{ accepts along path } v \}.$$

Let $f \in \text{PF}$ reduce $\text{Left}(L)$ to L . The algorithm below defines function g which is an m -autoreduction for L . Let x be an input. Define $n \stackrel{\text{df}}{=} |x|$ and $m \stackrel{\text{df}}{=} p(|x|)$.

```

1  if  $f(\langle x, 0^m \rangle) \neq x$  then output  $f(\langle x, 0^m \rangle)$ 
2  if  $f(\langle x, 1^m \rangle) = x$  then
3    if  $M(x)$  accepts along  $1^m$  then
4      output a string from  $\{y_1, y_2\} - \{x\}$ 
5    else
6      output a string from  $\{\bar{y}_1, \bar{y}_2\} - \{x\}$ 
7    endif
8  endif
9  // here  $f(\langle x, 0^m \rangle) = x \neq f(\langle x, 1^m \rangle)$ 
10 determine  $z$  of length  $m$  such that  $f(\langle x, z \rangle) = x \neq f(\langle x, z + 1 \rangle)$ 
11 if  $M(x)$  accepts along  $z$  then output a string from  $\{y_1, y_2\} - \{x\}$ 
12 else output  $f(\langle x, z + 1 \rangle)$ 

```

Note that step 10 is an easy binary search: Start with $z_1 := 0^m$ and $z_2 := 1^m$. Let z' be the middle element between z_1 and z_2 . If $f(z') = x$ then $z_1 := z'$ else $z_2 := z'$. Again, choose the middle element between z_1 and z_2 , and so on. This shows $g \in \text{PF}$. Clearly, $g(x) \neq x$, so it remains to show $L \leq_m^p L$ via g .

If the algorithm stops in step 1, then

$$x \in L \Leftrightarrow \langle x, 0^m \rangle \in \text{Left}(L) \Leftrightarrow g(x) = f(\langle x, 0^m \rangle) \in L.$$

If the algorithm stops in step 4 or step 6, then $f(\langle x, 0^m \rangle) = f(\langle x, 1^m \rangle)$. Hence

$$x \in L \Leftrightarrow \langle x, 1^m \rangle \in \text{Left}(L) \Leftrightarrow M(x) \text{ accepts along } 1^m \Leftrightarrow g(x) \in L.$$

Assume we reach step 9. There it holds that $f(\langle x, 0^m \rangle) = x \neq f(\langle x, 1^m \rangle)$. If the algorithm stops in step 11, then $x \in L$ and $g(x) \in L$. Assume we stop in step 12. So $M(x)$ does not accept along z .

$$x \in L \Leftrightarrow f(\langle x, 0^m \rangle) = f(\langle x, z \rangle) \in L \Leftrightarrow g(x) = f(\langle x, z + 1 \rangle) \in L.$$

□

Using the same technique we obtain the following results:

Corollary 3.1. *For every $k \geq 1$, all nontrivial sets that are \leq_{k-dtt}^p -complete for NP are \leq_{k-dtt}^p -autoreducible.*

Corollary 3.2. *All nontrivial sets that are \leq_{dtt}^p -complete for NP are \leq_{dtt}^p -autoreducible.*

Corollary 3.3 below is the analog of Corollaries 3.1 and 3.2 for \leq_{1-tt}^p -reductions. It is unknown whether the analog holds for \leq_{2-tt}^p -reductions, even for \leq_{2-ctt}^p -reductions.

Corollary 3.3. *All nontrivial sets that are \leq_{1-tt}^p -complete for NP are \leq_{1-tt}^p -autoreducible.*

Theorem 3.1 shows that every nontrivial NP-complete set is m -autoreducible. We show that the same result holds for PSPACE.

Theorem 3.2. *Each nontrivial m -complete language for PSPACE is m -autoreducible.*

Proof. Let S_5 be a permutation group over $\{1, \dots, 5\}$. Cai and Furst [CF91] show that for each language L in PSPACE there exist a polynomial p and a polynomial-time computable function f from $\Sigma^* \times \Sigma^*$ to S_5 such that for all $x \in L$ if and only if

$$f(x, 1^{p(|x|)}) \circ \dots \circ f(x, 0^{p(|x|)}) = I_5,$$

where \circ is the product of permutations calculated from right to left and I_5 is the identity permutation. Let L be an arbitrary m -complete language for PSPACE. Suppose that the membership of L in PSPACE is characterized by p and f . Define A to be the set of all triples $\langle x, y, \pi \rangle$ such that $|y| = p(|x|)$, $\pi \in S_5$, and

$$f(x, 1^{p(|x|)}) \circ \dots \circ f(x, y) = \pi.$$

This set A clearly belongs to PSPACE. Also, L is \leq_m^p -reducible to A via a function that maps each x to $\langle x, 0^{p(|x|)}, I_5 \rangle$. So, A is m -complete for PSPACE. Let g be an m -reduction from A to L .

We construct an m -autoreduction h of L as follows: Let x be an input to h . For each y , $|y| = p(|x|)$, and $\pi \in S_5$, let $Q(y, \pi) = g(\langle x, y, \pi \rangle)$. We first compute $z = Q(0^{p(|x|)}, I_5)$. We have $x \in L \Leftrightarrow \langle x, 0^{p(|x|)}, I_5 \rangle \in A$ and $z \in L \Leftrightarrow \langle x, 0^{p(|x|)}, I_5 \rangle \in A$. So, $x \in L \Leftrightarrow z \in L$. If $z \neq x$, we set $h(x) = z$.

So, assume $z = x$. We then compute $Q(1^{p(|x|)}, \pi)$, $\pi \in S_5$. Suppose for some π , $Q(1^{p(|x|)}, \pi) = x$. Then it holds that $x \in L \Leftrightarrow \langle x, 1^{p(|x|)}, \pi \rangle \in A$. By definition of A , $\langle x, 1^{p(|x|)}, \pi \rangle$ belongs to A if and only if $f(x, 1^{p(|x|)}) = \pi$. Since f is polynomial-time computable, this condition can be tested in polynomial time. We select the value of $h(x)$ from a set of fixed members and nonmembers so that $h(x) \neq x$ and so that $h(x) \in L$ if and only if $f(x, 1^{p(|x|)}) = \pi$.

So, assume that for all $\pi \in S_5$, $Q(1^{p(|x|)}, \pi) \neq x$. We execute binary search to find y , $0^{p(|x|)} \leq y < 1^{p(|x|)}$, such that x appears in $\{Q(y, \pi) \mid \pi \in S_5\}$ and doesn't appear in $\{Q(y+1, \pi) \mid \pi \in S_5\}$, where $y+1$ is the successor of y in $\Sigma^{p(|x|)}$. Such y indeed exists. Since g is polynomial-time computable, the y can be computed in polynomial time. Let $\xi \in S_5$ be such that $x = Q(y, \xi)$. Since g is a many-one reduction from A to L , $x \in L$ if and only if

$$f(x, 1^{p(|x|)}) \circ \dots \circ f(x, y+1) \circ f(x, y) = \xi.$$

Let σ be the inverse permutation of $f(x, y)$. Since f is polynomial-time computable and every permutation has a unique inverse, σ can be computed in polynomial time. By multiplying the equation in the above by σ from right, we have $x \in L$ if and only if

$$f(x, 1^{p(|x|)}) \circ \dots \circ f(x, y+1) = \xi \circ \sigma.$$

Let $z = Q(y + 1, \xi \circ \sigma)$. We have $z \in L$ if and only if the above equality holds. So, $x \in L \Leftrightarrow z \in L$. Since x does not appear in $\{Q(y + 1, \pi) \mid \pi \in S_5\}$, $x \neq z$. So, we set $h(x)$ to z . This completes the proof. \square

We generalize the above two results using the concept of polynomial-time bit-reductions [HLS⁺93]. We show that every class that is polynomial-time bit-reducible to a regular language has the property that all of its nontrivial m -complete sets are m -autoreducible. As a corollary to this, we show that for every class in the MODPH hierarchy [HLS⁺93], all of its nontrivial m -complete sets are m -autoreducible.

Definition 3.1. [HLS⁺93] A language A is polynomial-time bit-reducible to a language B if there exists a pair of polynomial-time computable functions, (f, g) , $f : \Sigma^* \times \mathbf{N}^+ \rightarrow \Sigma$, $g : \Sigma^* \rightarrow \mathbf{N}$, such that for all x ,

$$x \in A \Leftrightarrow f(x, 1) \cdots f(x, g(x)) \in B.$$

Proposition 3.1. *Let B be a language not in $\{\emptyset, \Sigma^*\}$. Let \mathcal{C} be the class of all languages that are polynomial-time bit-reducible to B . Then \mathcal{C} has m -complete sets.*

Proof. Let B and \mathcal{C} be as in the hypothesis of the proposition. Define K to be the set of all quadruples $\langle x, d, M, 1^t \rangle$ such that d is a binary nonnegative integer, M is a Turing machine transducer, $t \geq 0$, and

$$\mu(x, 1) \cdots \mu(x, d) \in B,$$

where for each i , $1 \leq i \leq d$, $\mu(x, i) = 1$ if $M(x, i)$ halts with the output 1 within t steps and $\mu(x, i) = 0$ otherwise. We claim that K is m -complete for \mathcal{C} . To see that $K \in \mathcal{C}$, let $e_1 \cdots e_m$, $m \geq 0$, be a string not in B . We define f and g as follows: On input u , if u is of the legitimate form $\langle x, d, M, 1^t \rangle$ then $g(x) = d$ and for each i , $1 \leq i \leq d$, $f(u, i) = \mu(x, i)$; otherwise, $g(x) = m$ and for each i , $1 \leq i \leq m$, $f(u, i) = e_i$. It is easy to see that (f, g) is a polynomial-time bit-reduction from K to B .

To show that K is m -hard for \mathcal{C} , let L be an arbitrary language in \mathcal{C} . Let (f, g) be a polynomial-time bit-reduction from L to B . Let M be a polynomial time-bounded Turing machine that computes f . Let p be a polynomial such that for all x and i such that $1 \leq i \leq g(x)$, $M(x, i)$ halts within $p(|x|)$ steps. Let R be the mapping defined for all x by $R(x) = \langle x, g(x), M, 1^{p(|x|)} \rangle$. Then, R is a polynomial-time m -reduction from L to K . \square

Next we prove a technical lemma.

Lemma 3.1. *Let $B \notin \{\emptyset, \Sigma^*\}$ be regular. Let $M = (Q, \{0, 1\}, \delta, q_0, q_f)$ be a finite automaton recognizing B , where Q is its set of states, δ is its transition function, q_0 is its initial state, and q_f is its unique final state. Let f and g be polynomial-time computable functions such that*

$f : \Sigma^* \times \mathbf{N}^+ \rightarrow \Sigma$ and $g : \Sigma^* \rightarrow \mathbf{N}$. Define

$$A = \{\langle x, i, q \rangle \mid 1 \leq i \leq g(x) \wedge q \in Q \wedge \delta(q, f(x, i) \cdots f(x, g(x))) = q_f\}.$$

Then, A is polynomial-time bit-reducible to B .

Proof. Let $B, M = (Q, \{0, 1\}, \delta, q_0, q_f), f, g,$ and A be as in the hypothesis of the lemma. Let r_1, \dots, r_t be an enumeration of the states in Q , where $r_t = q_f$. Without loss of generality, we can assume that every state is reachable from q_0 . Since $B \neq \emptyset, \Sigma^*, t \geq 2$. This means that $r_1 \neq q_f$. For each $j, 1 \leq j \leq t$, let $e(j)$ be a fixed word such that $\delta(q_0, e(j)) = r_j$. For each $j, 1 \leq j \leq t$, let $m_j = |e(j)|$ and let $e(j, 1), \dots, e(j, m_j)$ be the bits of $e(j)$. Since $r_t = q_f$, we have $e(1), \dots, e(t-1) \notin B$ and $e(t) \in B$.

We define a bit-reduction (f', g') from A to B as follows: Let u be an input to the reduction. If u is not of the form $\langle x, i, q \rangle$ such that $1 \leq i \leq g(x)$ and $q \in Q$, u is clearly a nonmember of A . We set $g'(u) = m_1$ and for each $k, 1 \leq k \leq m_1, f'(u, k) = e(1, k)$. We have $f'(u, 1) \cdots f(u, g'(u)) = e(1)$. Since $e(1) \notin B$, the reduction works correctly on u .

If u is of the form $\langle x, i, r_j \rangle$ such that $1 \leq i \leq g(x)$ and $1 \leq j \leq t$, then we set $g'(u) = m_j + g(x) - i + 1$ and for each $k, 1 \leq k \leq g'(u)$,

$$f'(u, k) = \begin{cases} e(j, k) & \text{if } k \leq m_j, \\ f(x, k - m_j + i - 1) & \text{otherwise.} \end{cases}$$

It holds that $f'(u, 1) \cdots f'(u, g'(u)) = e(j)f(x, i) \cdots f(x, g(x))$. Since $\delta(q_0, e(j)) = r_j$, we have

$$\delta(q_0, e(j)f(x, i) \cdots f(x, g(x))) = \delta(r_j, f(x, i) \cdots f(x, g(x))).$$

So,

$$\delta(q_0, e(j)f(x, i) \cdots f(x, g(x))) = q_f \Leftrightarrow \delta(r_j, f(x, i) \cdots f(x, g(x))) = q_f.$$

Thus, $f'(u, 1) \cdots f(u, g'(u)) \in B \Leftrightarrow u \in A$. The reduction thus works correctly on u .

It is easy to see that both f' and g' are polynomial-time computable. Thus, A is polynomial-time bit-reducible to B . \square

Theorem 3.3. *Let $B \notin \{\emptyset, \Sigma^*\}$ be a regular language recognized by a finite automaton $M = (Q, \{0, 1\}, \delta, q_0, q_f)$. Let \mathcal{C} be the polynomial-time bit-reduction closure of B . Then each nontrivial m -complete set for \mathcal{C} is m -autoreducible.¹*

Proof. Let $B, M,$ and \mathcal{C} be as in the hypothesis of the theorem. By Proposition 3.1, \mathcal{C} has m -complete languages. Let L be an arbitrary m -complete language for \mathcal{C} . Let (f, g) be a polynomial-time bit-reduction from L to B . Define A as in Lemma 3.1; that is, A is the set of all $\langle x, i, q \rangle$ such that $1 \leq i \leq g(x), q \in Q$, and $\delta(q, f(x, i) \cdots f(x, g(x))) = q_f$. By Lemma 3.1, $A \in \mathcal{C}$, so A is m -reducible to L . Let h be an m -reduction from A to L . We will design an m -autoreduction, r , of L . Let a_1 and a_2 be fixed members of L and let b_1 and b_2 be fixed nonmembers of L . Let x be an input to r .

As in the previous constructions, we set $r(x) = a_2$ (respectively, $a_1, b_2,$ and b_1) in the case where $x = a_1$ (respectively, $a_2, b_1,$ and b_2).

¹In terms of leaf languages, this theorem reads as follows: If B is a nontrivial regular language, then m -complete sets for $\text{Leaf}_b^p(B)$ are m -autoreducible. (The latter denotes the balanced leaf-language class defined by B [HLS⁺93, Wag04].)

So, suppose that $x \notin \{a_1, a_2, b_1, b_2\}$. Let $y_0 = h(\langle x, 1, q_0 \rangle)$. Since h is an m -reduction from A to L , and since $x \in L$ if and only if $\langle x, 1, q_0 \rangle \in A$, we have $y_0 \in L \Leftrightarrow x \in L$. So, in the case where $y_0 \neq x$, we can set $r(x) = y_0$.

So, suppose that $x = y_0$. Suppose that there is some $q \in Q$ such that $h(\langle x, g(x), q \rangle) = x$. By definition $\langle x, g(x), q \rangle \in A \Leftrightarrow \delta(q, f(x, g(x))) = q_f$. Since both f and g are polynomial-time computable, we can test in polynomial time whether $\langle x, g(x), q \rangle \in A$. Since h is a many-one reduction from A to L , $\langle x, g(x), q \rangle \in A \Leftrightarrow x \in L$. So, in polynomial time we can test whether $x \in L$. We set $r(x) = a_1$ if $x \in L$ and $r(x) = b_1$ otherwise.

Now, suppose that $x \notin \{h(\langle x, g(x), q \rangle) \mid q \in Q\}$. Since $x = y_0 = h(\langle x, 1, q_0 \rangle)$, we have that $x \in \{h(\langle x, 1, q \rangle) \mid q \in Q\}$. By binary search over the interval $[1, g(x)]$ we can find some i , $1 \leq i \leq g(x) - 1$, such that $x \in \{h(\langle x, i, q \rangle) \mid q \in Q\}$ and $x \notin \{h(\langle x, i + 1, q \rangle) \mid q \in Q\}$. Let $q \in Q$ be such that $x = h(\langle x, i, q \rangle)$. We have $x \in L \Leftrightarrow \langle x, i, q \rangle \in A$. By definition,

$$\langle x, i, q \rangle \in A \Leftrightarrow \delta(q, f(x, i) \cdots f(x, g(x))) = q_f.$$

Let $q' = \delta(q, f(x, i))$ and let $y_1 = h(\langle x, i + 1, q' \rangle)$. By the choice of i , $x \neq y_1$. Also, $y_1 \in L \Leftrightarrow \langle x, i + 1, q' \rangle \in A$. We have

$$\begin{aligned} \delta(q, f(x, i) \cdots f(x, g(x))) &= \delta(\delta(q, f(x, i)), f(x, i + 1) \cdots f(x, g(x))) \\ &= \delta(q', f(x, i + 1) \cdots f(x, g(x))). \end{aligned}$$

So,

$$\delta(q, f(x, i) \cdots f(x, g(x))) = q_f \Leftrightarrow \delta(q', f(x, i + 1) \cdots f(x, g(x))) = q_f.$$

This implies that

$$\langle x, i, q \rangle \in A \Leftrightarrow \langle x, i + 1, q' \rangle \in A.$$

Since $x \in L \Leftrightarrow \langle x, i, q \rangle \in A$ and $y_1 \in L \Leftrightarrow \langle x, i + 1, q' \rangle \in A$, we have $x \in L \Leftrightarrow y_1 \in L$. Since $x \neq y_1$, we set $r(x) = y_1$.

Since f is polynomial-time computable, the value of $r(x)$ can be computed in polynomial-time. This proves the theorem. \square

Now we define the hierarchy MODPH.

Definition 3.2. [Sto77, Wra77] Let \mathcal{C} be a language class. Define $\exists \cdot \mathcal{C}$ to be the set of all languages L for which there exist a polynomial p and a language $A \in \mathcal{C}$ such that for all x ,

$$x \in L \Leftrightarrow (\exists y, |y| = p(|x|))[\langle x, y \rangle \in A]$$

and define $\forall \cdot \mathcal{C}$ to be the set of all languages L for which there exist a polynomial p and a language $A \in \mathcal{C}$ such that for all x ,

$$x \in L \Leftrightarrow (\forall y, |y| = p(|x|))[\langle x, y \rangle \in A].$$

Definition 3.3. [BG92, Sch89] Let $k \geq 2$ be an integer. Define $\text{MOD}_k \cdot \mathcal{C}$ to be the set of all languages L for which there exist a polynomial p and a language $A \in \mathcal{C}$ such that for all x ,

$$x \in L \Leftrightarrow \|\{y \mid |y| = p(|x|) \wedge \langle x, y \rangle \in A\}\| \not\equiv 0 \pmod{k},$$

and define $\text{coMOD}_k \cdot \mathcal{C}$ to be the set of all languages L for which there exist a polynomial p and a language $A \in \mathcal{C}$ such that for all x ,

$$x \in L \Leftrightarrow \|\{y \mid |y| = p(|x|) \wedge \langle x, y \rangle \in A\}\| \equiv 0 \pmod{k}.$$

Definition 3.4. [HLS⁺93] MODPH is the hierarchy consisting of the classes inductively defined as follows:

- P belongs to MODPH.
- If \mathcal{C} is a class belonging to MODPH then $\exists \cdot \mathcal{C}$ and $\forall \cdot \mathcal{C}$ belong to MODPH.
- For each integer $k \geq 2$, if \mathcal{C} is a class belonging to MODPH then $\text{MOD}_k \cdot \mathcal{C}$ and $\text{coMOD}_k \cdot \mathcal{C}$ belong to MODPH.

Proposition 3.2. [HLS⁺93] *Each class in MODPH is the polynomial-time bit-reduction closure of some regular language.*

By combining Proposition 3.2 and Theorem 3.3, we have the following theorem.

Theorem 3.4. *For every class in MODPH it holds that all of its nontrivial m -complete sets are m -autoreducible.*

Corollary 3.4. *Every nontrivial set that is m -complete for one of the following classes is m -autoreducible.*

- the levels Σ_k^P , Π_k^P , and Δ_k^P of the polynomial-time hierarchy
- 1NP
- the levels of the Boolean hierarchy over NP

Proof. For Σ_k^P and Π_k^P this is an immediate consequence of Theorem 3.4. For the remaining classes this follows from Theorem 3.3, since (i) 1NP is the polynomial-time bit-reduction closure of 0^*10^* , (ii) every Δ_k^P is the polynomial-time bit-reduction closure of a suitable regular language [BSS99, Tra02, BLS⁺04], and (iii) every level of the Boolean hierarchy over NP is the polynomial-time bit-reduction closure of a suitable regular language [SW98, BKS99]. \square

Now we obtain corollaries about the genericity and dimension of complete sets. The notion of resource bounded genericity was defined by Ambos-Spies, Fleischhack, and Huwig [ASFH87]. We use the following equivalent definition [BM95, PS02].

Definition 3.5. Let t be a polynomial. A set L is $t(n)$ -generic if for every oracle Turing machine M , if $M^{L|x}(x) = L(x)$ for all x , then the running time of M is at least $t(2^{|x|})$ for all but finitely many x . Recall that $L|x = \{y \in L \mid y < x\}$.

We obtain the following corollary regarding genericity of NP-complete sets. Earlier, it was known that there exists a $k > 0$, such that NP-complete sets are not $O(n^k)$ -generic. This follows from the work on small span theorems [JL95][ASNT96]. Below we improve this.

Corollary 3.5. *NP-complete sets are not $2n$ -generic.*

Proof. Let L be any NP-complete set. If L is trivial, then L is not $O(n)$ -generic. Otherwise, L is nontrivial and there exists a many-one autoreduction f for L . Consider the following predictor for L . Recall that on input x , the predictor has access to the partial characteristic sequence $L|x$. Given x , the predictor computes $f(x)$. If $f(x) < x$, then the predictor can decide the membership of x in L by making one query to $L|x$. This takes polynomial time in $|x|$. If $f(x) > x$, then for every

$y < x$, the predictor checks if $f(y) = x$. Once such y is found, the predictor can decide membership of x in L . If no such y is found, then the predictor runs the deterministic algorithm for L on x .

We claim that for infinitely many inputs, the predictor runs in time $O(2^n)$. If for infinitely many x , $f(x) < x$, then, on these strings, the predictor decides x in polynomial time. Assume for all but finitely many x , $f(x) \geq x$. Note that since f is a auto reduction, $f(x) \neq x$. Thus for all but finitely many x , $f(x) > x$. Thus for infinitely many x , there exists $y < x$ such that $f(y) = x$. The predictor decides all such x by finding a y such that $f(y) = x$. The time for finding such y is $2^{O(n)}$. Thus the predictor decides infinitely many x in time $2^{O(n)}$ time. Thus L is not $O(n)$ -generic. \square

Using the same proof we can show that complete sets for PSPACE and those for each class of MODPH are non- $2n$ -generic.

Corollary 3.6. *Let \mathcal{C} be either PSPACE or a class belonging to MODPH. Then no m -complete sets for \mathcal{C} are $2b$ -generic.*

Recently, Hitchcock [Hit04] showed that the (-3) -rd order scaled dimension of NP-complete sets is zero. His proof uses a small span theorem for (-3) -rd order dimension. We can obtain Hitchcock's result using Theorem 3.1.

Corollary 3.7. *The class of NP-complete sets has (-3) -rd order dimension zero.*

3.1 Relativization

We obtain an oracle satisfying the following properties:

Theorem 3.5. *For any $k \geq 2$, there is an oracle A such that relative to A there is a set B that is \leq_{k-dtt}^p complete for NP but not $\leq_{(k-1)-T}^p$ autoreducible.*

In light of this oracle it probably is not possible to improve Corollary 3.1. Also, this theorem is interesting because of the following corollary:

Corollary 3.8. *There is an oracle A such that relative to A there exists a \leq_{2-dtt}^p -complete set for NP that is not m -mitotic.*

Proof. Taking $k = 2$ in Theorem 3.5, we obtain an oracle A such that there exists a \leq_{2-dtt}^p -complete set for NP that is not \leq_{1-T}^p autoreducible. The corollary follows from the facts that if a set is m -mitotic then it is m -autoreducible [AS84] and every many-one reduction is a $1-T$ reduction. \square

Corollary 3.8 gives a relativized, partial negative answer to an open question of Buhrman and Torenvliet [BT94] as to whether all T -complete sets for NP are (weakly) $m(T)$ -mitotic. It remains open whether there is an oracle relative to which not all NP-complete sets are m -mitotic. Another related question raised by Buhrman and Torenvliet is whether all tt -complete sets for NP are tt -autoreducible. The following theorem gives a partial answer to this question in a relativized world.

Theorem 3.6. *For any $k \geq 2$, there is an oracle A such that relative to A , there is a set B that is \leq_{dtt}^p complete for NP but not \leq_{btt}^p -autoreducible.*

The proof of Theorem 3.6 is similar to that of Theorem 3.5. Now we present the proof of Theorem 3.5:

Proof. Let $k' = \lceil \log k \rceil$. Without loss of generality, we assume k' is odd (the proof for the case where k' is even is essentially the same). Define G to be the set consisting of the first k strings of length k' . We assume a polynomial-time computable one-to-one pairing function that can take any finite number of inputs such that its range does not intersect with 0^* and such that for all i, x , and l , $|\langle i, x, 0^l \rangle| > l$. Such pairing function can be found very easily. Let $\{M_j\}_{j \geq 1}$ be an enumeration of polynomial-time $(k-1)$ -Turing reductions. Let $\{N_i\}_{i \geq 1}$ be an enumeration of all nondeterministic polynomial-time oracle Turing machines. For each $j \geq 1$, let p_j be a polynomial that bounds the running time of both M_j and N_j .

For any set A , let $K^A = \{\langle i, x, 0^l \rangle \mid N_i^A \text{ accepts } x \text{ within } l \text{ steps}\}$ be the canonical complete set for NP^A . Now define

$$B_e^A = \{s \langle i, x, 0^l \rangle \mid s \in G \wedge [\exists y[|y| = |\langle i, x, 0^l \rangle| \wedge s \langle i, x, 0^l \rangle y \in A]]\},$$

$$B_d^A = \{0^{2n} \mid \exists y[|y| = 2n \wedge y \in A]\},$$

and

$$B^A = B_e^A \cup B_d^A.$$

Clearly B_e^A, B_d^A and B^A all belong to NP^A . We will construct A such that for all but finitely many combinations of i, x , and l ,

$$\langle i, x, 0^l \rangle \in K^A \Leftrightarrow \exists s[s \in G \wedge s \langle i, x, 0^l \rangle \in B^A],$$

which implies $K^A \leq_{k\text{-dtt}}^p B^A$. Also, we will construct A such that for every j , there exists an even number n_j such that

$$M_j^A \text{ accepts } 0^{n_j} \text{ with oracle } B^A \Leftrightarrow 0^{n_j} \notin B^A$$

or

$$M_j^A \text{ on input } 0^{n_j} \text{ queries } 0^{n_j} \text{ to oracle } B^A,$$

which will ensure that M_j is not an $\leq_{(k-1)\text{-T}}^p$ autoreduction of B .

We construct A in stages. We initialize $n_1 = 2$, so that $p_1(n_1) < 2^{n_1}$, and define $A^{<2} = \emptyset$. At Stage j , we assume the construction has been done up to strings of length $n_j - 1$, where n_j is some even number chosen in Stage $j - 1$. Let $A_{j-1} = A^{\leq n_j - 1}$. Now the construction for Stage j proceeds in two steps. In the first step, we will *diagonalize* against M_j . If $M_j^{A_{j-1}}$ on input 0^{n_j} does not query the string 0^{n_j} to $B_{A_{j-1}}$, then we will find a string y of length n_j such that $M_j^{A_{j-1} \cup \{y\}}$, making $k-1$ queries to $B^{A_{j-1} \cup \{y\}}$ accepts 0^{n_j} if and only if $0^{n_j} \notin B^{A_{j-1} \cup \{y\}}$. In the second step, we will do the *encoding*. We will choose some sufficiently large even number n_{j+1} and make sure, for every $\langle i, x, 0^l \rangle$ such that $n_j < |s \langle i, x, 0^l \rangle y| < n_{j+1}$, $s \in G$, and $|y| = |\langle i, x, 0^l \rangle|$, that $\langle i, x, 0^l \rangle \in K^A$ if and only if $\exists s \exists y[s \in G \wedge |y| = |\langle i, x, 0^l \rangle| \wedge s \langle i, x, 0^l \rangle y \in A]$. This will ensure for those $\langle i, x, 0^l \rangle$ that $\langle i, x, 0^l \rangle \in K^A$ if and only if $\exists s[s \in G \wedge s \langle i, x, 0^l \rangle \in B^A]$.

We first show that the string y of length n_j needed for the diagonalization step exists. We use a set N_A for reserving strings of length greater than or equal to n_j for \bar{A} . N_A is set to \emptyset at the beginning of each stage. We then simulate M_j on input 0^{n_j} and resolve each query in the following way. For each query q made to A , we answer YES if and only if $q \in A_{j-1}$. If $|q| \geq n_j$, set N_A to $N_A \cup \{q\}$. For each query q made to B^A , if $q = 0^{n_j}$, we proceed to the encoding step. (In this case, M_j is not an autoreduction.) Now $q \neq 0^{n_j}$. We answer q with YES if and only if $q \in B^{A_{j-1}}$. For those q 's such that q is of the form 0^{2n} , where $2n > n_j$, we set N_A to $N_A \cup \{y \mid |y| = |q|\}$, which will ensure that $q = 0^{2n} \notin B^A$. For those q 's such that $q = s \langle i, x, 0^l \rangle$, $s \in G$, and $k' + 2|\langle i, x, 0^l \rangle| > n_j$,

```

1  $Y_A := \emptyset;$ 
   //  $N_A$  is initially the set constructed in the diagonalization step.
2  $Q_j := \{\langle i, x, 0^l \rangle \mid n_j < k' + 2|\langle i, x, 0^l \rangle| < n_{j+1}\};$ 
   // set of triples  $\langle i, x, 0^l \rangle$  that we need to consider for encoding.
3 For all triples  $\langle i, x, 0^l \rangle$  in  $Q_j$  in lexicographical order do
4   Simulate  $N_i$  on  $x$  for  $l$  steps with oracle  $A_{j-1} \cup Y_A;$ 
5   If  $N_i$  accepts then
6     Choose  $s\langle i, x, 0^l \rangle y \notin N_A$ , such that  $s \in G$  and  $|y| = |\langle i, x, 0^l \rangle|;$ 
7      $Y_A := Y_A \cup \{s\langle i, x, 0^l \rangle y\};$ 
8   Else
9      $N_A := N_A \cup \{s\langle i, x, 0^l \rangle y \mid s \in G \wedge |y| = |\langle i, x, 0^l \rangle|\};$ 
10 EndFor;
11  $A_j := A_{j-1} \cup Y_A;$ 

```

Figure 1: Procedure for the encoding step at Stage j in Theorem 3.5 (comments start with //).

we set N_A to $N_A \cup \{s\langle i, x, 0^l \rangle y \mid |y| = |\langle i, x, 0^l \rangle|\}$, which will ensure that $q = s\langle i, x, 0^l \rangle \notin B^A$. Observe that strings of length n_j (an even length) can only be put into N_A if they are queried by M_j to A . So $\|N_A \cap \Sigma^{\leq n_j}\| \leq p_j(n_j)$ since M_j is p_j -time bounded. We will see below that in Stage $j - 1$, n_j was chosen such that $p_j(n_j) < 2^{n_j} = \|\Sigma^{n_j}\|$. So we choose a string y of length n_j such that $y \notin N_A$. For this y , $M_j^{A_{j-1}}(0^{n_j})$, which makes $k - 1$ queries to $B^{A_{j-1}}$, accepts if and only if $M_j^{A_{j-1} \cup \{y\}}(0^{n_j})$, making $k - 1$ queries to $B^{A_{j-1} \cup \{y\}}$, accepts. Thus we add y to A_{j-1} if and only if $M_j^{A_{j-1}}(0^{n_j})$ rejects with oracle $B^{A_{j-1}}$. This completes the diagonalization step.

Now we need to do the encoding step. At the same time we want to maintain the diagonalization properties of the oracle from the diagonalization step. This can be ensured by not putting any string in N_A into A . However, by doing so we have to make sure encoding can be done up to length $\max_{y \in N_A} |y|$. Also we need $p_j(n_j) < 2^{n_j}$ for the diagonalization step at any Stage j . To fulfill all these requirements, we choose n_{j+1} to be the minimum even number such that the following hold:

- $p_{j+1}(n_{j+1}) < 2^{(n_{j+1}-k')/2}$
- $n_{j+1} > n_j$
- $n_{j+1} > \max_{y \in N_A} |y|$

Now we encode each triple $\langle i, x, 0^l \rangle$ such that $n_j < |s\langle i, x, 0^l \rangle y| < n_{j+1}$, $s \in G$, and $|y| = |\langle i, x, 0^l \rangle|$. We have to decide whether to put some string $s\langle i, x, 0^l \rangle y$ into A according to whether $\langle i, x, 0^l \rangle \in K^A$, so as to make sure $\langle i, x, 0^l \rangle \in K^A$ if and only if $\exists s[s \in G \wedge s\langle i, x, 0^l \rangle \in B^A]$. As we said earlier, this task is nontrivial since some of these strings might have already been put into N_A . We need to show that there exist strings that are unreserved for each triple $\langle i, x, 0^l \rangle$, to be used for encoding. We will also need a set Y_A that contains strings reserved for A during the encoding process. Now we use the following procedure in Fig. 1 to do the encoding from length $n_j + 1$ to $n_{j+1} - 1$.

The correctness of the above encoding procedure follows from the following claims.

Claim 3.1. *For every $\langle i, x, 0^l \rangle \in Q_j$ in the above procedure, there exists a string $s\langle i, x, 0^l \rangle y \notin N_A$ such that $s \in G$ and $|y| = |\langle i, x, 0^l \rangle|$, to select when step 6 is executed.*

Proof. We look back at the diagonalization step. For each query q made to A by M_j , we put q into N_A only if $|q| \geq n_j$. Since there are at most $p_j(n_j)$ many such queries due to the fact that M_j is p_j -time bounded, we put at most $p_j(n_j)$ many strings into N_A in because of queries to A . Now for each $\langle i, x, 0^l \rangle \in Q_j$, for each $s \in G$ consider $S_s = \{s\langle i, x, 0^l \rangle y \mid |y| = |\langle i, x, 0^l \rangle|\}$. For each query q made to B^A by M_j , at most one such S_s might be put into N_A . Since M_j only makes $k - 1$ queries to B^A , there must exist one S_s such that no string in S_s is put into N_A in due to queries made to B^A by M_j . Let S_s be such a set. Note that $\|S_s\| = 2^{|\langle i, x, 0^l \rangle|} \geq 2^{(n_j - k')/2} > p_j(n_j)$, where the last inequality follows from the choice of n_j at Stage $j - 1$. So there must exist $z \in S_s$ that is not put into N_A because of queries made to A by M_j . Hence, z is a string of the form $s\langle i, x, 0^l \rangle y$ such that $s \in G$ and $|y| = |\langle i, x, 0^l \rangle|$, and $z \notin N_A$ by the end of the diagonalization step. Now during the encoding step, we will only put into N_A strings of the form $s\langle i', x', 0^{l'} \rangle y$, where $\langle i', x', 0^{l'} \rangle \neq \langle i, x, 0^l \rangle$, upon processing triples $\langle i', x', 0^{l'} \rangle$ that are lexicographically less than $\langle i, x, 0^l \rangle$. So z cannot have been put into N_A during the encoding step by the time the triple $\langle i, x, 0^l \rangle$ is processed. Hence, the claim follows. \square

Claim 3.2. For any $\langle i, x, 0^l \rangle \in Q_j$ in the above procedure,

$$\langle i, x, 0^l \rangle \in K^{A_j} \Leftrightarrow \exists s[s \in G \wedge s\langle i, x, 0^l \rangle \in B^{A_j}].$$

Proof. First note that the following equivalence holds after the triple $\langle i, x, 0^l \rangle \in Q_j$ is processed:

$$\langle i, x, 0^l \rangle \in K^{A_{j-1} \cup Y_A} \Leftrightarrow \exists s[s \in G \wedge s\langle i, x, 0^l \rangle \in B^{A_{j-1} \cup Y_A}]. \quad (*)$$

For every triple $\langle i', x', 0^{l'} \rangle \in Q_j$ that is processed after $\langle i, x, 0^l \rangle$, either a string in the form $s'\langle i', x', 0^{l'} \rangle y'$ such that $s' \in G$ and $|y'| = |\langle i', x', 0^{l'} \rangle|$ is put into Y_A or all the members of the set $\{s'\langle i', x', 0^{l'} \rangle y' \mid s' \in G \wedge |y'| = |\langle i', x', 0^{l'} \rangle|\}$ are put into N_A . Neither of these will change the truth value of the right-hand side of (*). Also note that all the strings added to Y_A or N_A after $\langle i, x, 0^l \rangle$ is processed are of length at least $k' + 2|\langle i, x, 0^l \rangle| > l$. So the truth value of the left side of (*) will not change either after $\langle i, x, 0^l \rangle$ is processed since the first l steps of N_i 's computation on x makes queries of length at most l . Therefore, (*) becomes a loop invariant once the triple $\langle i, x, 0^l \rangle$ is processed. Since by the end of the loop we have $A_j = A_{j-1} \cup Y_A$, it follows that

$$\langle i, x, 0^l \rangle \in K^{A_j} \Leftrightarrow \exists s[s \in G \wedge s\langle i, x, 0^l \rangle \in B^{A_j}].$$

\square

Claim 3.3. For every triple $\langle i, x, 0^l \rangle$ such that $|\langle i, x, 0^l \rangle| > 2$,

$$\langle i, x, 0^l \rangle \in K^A \Leftrightarrow \exists s[s \in G \wedge s\langle i, x, 0^l \rangle \in B^A].$$

Proof. Let $|\langle i, x, 0^l \rangle| > 2$. Then $\langle i, x, 0^l \rangle$ belongs to Q_j , for some $j \geq 1$. Then, by Claim 3.2, it holds that

$$\langle i, x, 0^l \rangle \in K^{A_j} \Leftrightarrow \exists s[s \in G \wedge s\langle i, x, 0^l \rangle \in B^{A_j}].$$

We know from the above construction that only strings of length greater than or equal to n_j will be added into A after Stage j and $n_j > k' + 2|\langle i, x, 0^l \rangle| > l$ for any $\langle i, x, 0^l \rangle \in Q_j$. It follows that

$$\langle i, x, 0^l \rangle \in K^A$$

$$\begin{aligned}
&\Leftrightarrow \langle i, x, 0^l \rangle \in K^{A_j} \\
&\Leftrightarrow \exists s[s \in G \wedge s \langle i, x, 0^l \rangle \in B^{A_j}] \\
&\Leftrightarrow \exists s[s \in G \wedge s \langle i, x, 0^l \rangle y \in B^A].
\end{aligned}$$

□

This finishes the proof of Theorem 3.5. □

4 Mitoticity

Buhrman, Hoene, and Torenvliet [BHT98] show that all EXP-complete sets are weakly m -mitotic. We improve this to show that all EXP-complete sets are m -mitotic.

Theorem 4.1. *All EXP-complete sets are m -mitotic.*

Proof. Let L be any EXP-complete set, and let K be the canonical EXP-complete set. Recall that all EXP-complete sets are complete with respect to length increasing reductions [Ber77]. Thus there exists a li -reduction f from $K \times \Sigma^*$ to K , and a li -reduction g from K to L . There exists a constant $l > 0$, such that

$$\forall x, |x| < |f(x)| < |x|^l \text{ and } |x| < |g(x)| < |x|^l.$$

Define $t_1 = 2$ and $t_{i+1} = (t_i)^{2l^2}$. Consider the following set.

$$S = \{x \mid \text{for some odd } i \ t_i \leq |x| < t_{i+1}\}$$

Clearly S is in P. We claim that $L \cap S$ and $L \cap \bar{S}$ are each complete for EXP. This shows that L is m -mitotic.

Claim 4.1. *$L \cap S$ is EXP-complete.*

Proof. It is clear that $L \cap S$ is in EXP. We construct a reduction R from K to $L \cap S$. Given input x the reduction computes i such that $t_i \leq |x| < t_{i+1}$. We consider two cases.

Case 1: i is odd. We have $x \in S$. Choose y sufficiently large such that

$$t_{i+2} < |\langle x, y \rangle| < t_{i+2}^2.$$

Let $z = \langle x, y \rangle$. We set $R(x) = g(f(z))$.

We claim that this works. First, observe that $t_{i+2} < |z| < t_{i+2}^{2l^2} = t_{i+3}$. Since i is odd, $i + 2$ is odd, too. Thus z is in S . We have

$$|g(f(z))| < |f(z)|^l < |z|^{l^2} < (t_{i+2}^2)^{l^2} = t_{i+3},$$

Since $t_{i+2} < |z| < |g(f(z))|$ and $|g(f(z))| < t_{i+3}$, $g(f(z)) \in S$. Now,

$$\begin{aligned}
x \in K &\Leftrightarrow z \in K \times \Sigma^* \\
&\Leftrightarrow f(z) \in K \quad (f \text{ is a reduction from } K \times \Sigma^* \text{ to } K) \\
&\Leftrightarrow g(f(z)) \in L \quad (g \text{ is a reduction from } K \text{ to } L) \\
&\Leftrightarrow g(f(z)) \in L \cap S \quad (g(f(z)) \in S).
\end{aligned}$$

Case 2: i is even. We have $x \notin S$. Choose y sufficiently large such that

$$t_{i+1} < |\langle x, y \rangle| < t_{i+2}^2.$$

Let $z = \langle x, y \rangle$. We set $R(x) = g(f(z))$. Because i is even $z \in S$. As before, we have that $g(f(z)) \in S$. Then, as in Case 1.1, we have the correctness of the reduction.

It is obvious that the reduction is computable in polynomial time. Thus $L \cap S$ is complete for EXP. \square

By symmetry we obtain:

Claim 4.2. $L \cap \overline{S}$ is EXP-complete.

The theorem follows from Claims 4.1 and 4.2. \square

The proof of Theorem 4.1 actually yields the following result: for class \mathcal{C} , if L is complete with length-increasing reductions, then L is m -mitotic. Agrawal [Agr02] shows that if one-way permutations and quick pseudo-random generators exist, then every NP-complete language is complete with respect to length increasing reductions. Thus,

Corollary 4.1. *If one-way permutations and quick pseudo-random generators exist, then NP-complete languages are m -mitotic.*

If L is NP-complete with respect to honest many-one reductions, then L is complete with respect to length increasing reductions. Thus we have the following corollary.

Corollary 4.2. *If L is NP-complete with respect to honest reductions, then L is m -mitotic.*

Buhrman, Hoene, and Torenvliet [BHT98] showed that every NEXP-complete set can be partitioned into infinitely many sets such that each one of them is NEXP-complete. They ask whether this can be improved to show that every NEXP-complete set is weakly m -mitotic. Theorem 4.3 answers this question in the affirmative. For the proof, we need the following result due to Ganesan and Homer [GH92]. They showed that all NE-complete sets are complete with respect to 1-1 reductions. Their proof works for NEXP-complete sets also. For the sake of completeness, we provide a proof of this.

Theorem 4.2 ([GH92]). *All \leq_m^p -complete sets for NEXP are complete with respect to 1-1 reductions.*

Proof. Let A be any given \leq_m^p -complete set for NEXP and let K be any arbitrary set in NEXP. Let c and d be constants such that there exist nondeterministic Turing machines that accept K and A in time $2^{|x|^c}$ and $2^{|x|^d}$, respectively. It is sufficient to show that K is 1-1 reducible to A .

Let f_1, f_2, \dots be an enumeration of all polynomial-time computable functions such that $f_i(x)$ can be computed in time $2^{O((|i| + \log |x|)^2)}$. Let M be the set of pairs accepted by the following procedure.

```

1  input  $\langle i, x \rangle$ 
2  if  $\exists y < x$  such that  $f_i(\langle i, y \rangle) = f_i(\langle i, x \rangle)$ 
3  then if  $2^{|y|^c} \leq |x|$  then accept  $\langle i, x \rangle$  if and only if  $y \notin K$ 
4     else reject  $\langle i, x \rangle$ 
5  else accept  $\langle i, x \rangle$  if either (a) or (b) holds
6     (a)  $\exists y > x$  such that  $|y| < 2^{|x|^c}$  and  $f_i(\langle i, x \rangle) = f_i(\langle i, y \rangle)$ 
7     (b)  $x \in K$ 

```

Claim 4.3. $M \in \text{NEXP}$.

Let us compute the time required for M on input $\langle i, x \rangle$. Note that computing $f_i(\langle i, x \rangle)$ takes time $2^{O((|i| + \log |i, x|)^2)}$ which is $2^{O(|i, x|^2)}$. Since there are only $2^{O(|x|)}$ strings y that are lexicographically less than x , the condition in step 2 can be computed in time $2^{O(|i, x|^2)}$. If $2^{|y|^c} \leq |x|$, we can decide if $y \in K$ deterministically in time $2^{O(|x|)}$. Thus, steps 3 and 4 can be done in time $2^{O(|x|)}$. In step 6, we can guess a string y that is of length $< 2^{|x|^c}$ and compute $f_i(\langle i, y \rangle)$ in time $2^{O((|i| + \log |i, y|)^2)}$ which is $2^{O(|i, x|^{2c})}$. Thus $M \in \text{NEXP}$.

Let f_j be a reduction from M to A , and let $f(x) \stackrel{\text{df}}{=} f_j(\langle j, x \rangle)$. We show that f is a 1-1 reduction from K to A .

Assume that f is not 1-1. Let x_2 be the least element such that for some $x_1 < x_2$, $f(x_1) = f(x_2)$. There are two cases.

Case 1: $2^{|x_1|^c} \leq |x_2|$. In this case, $\langle j, x_1 \rangle \in M$ if and only if $x_1 \in K$. $\langle j, x_2 \rangle \in M$ if and only if $x_1 \notin K$. So, f_j cannot be a reduction from M to A . Contradiction.

Case 2: $2^{|x_1|^c} > |x_2|$. In this case, $\langle j, x_1 \rangle \in M$ and $\langle j, x_2 \rangle \notin M$. Again, f_j cannot be a reduction from M to A . Contradiction.

Hence, f is 1-1. So on input $\langle j, x \rangle$, the conditions in steps 2 and 6 do not hold. Hence, $\langle j, x \rangle \in M$ if and only if $x \in K$. This shows that f is a reduction from K to A . \square

Theorem 4.3. All \leq_m^p -complete sets for NEXP are weakly m -mitotic.

Proof. Let K be the standard NEXP-complete set. Let L be any given NEXP-complete set. We show that L is weakly m -mitotic.

$$K' \stackrel{\text{df}}{=} 0K \cup 1K$$

is NEXP-complete. K' reduces to L via some $f \in \text{PF}$. L reduces to K (really K , not K') via some $g \in \text{PF}$. Choose k such that f and g can be computed in time $O(n^k)$. By Theorem 4.2, we can assume f and g to be 1-1.

$$\begin{aligned} L_0 &\stackrel{\text{df}}{=} \{y \mid \exists x, |x| \leq |y|^k, f(0x) = y\} \\ L_1 &\stackrel{\text{df}}{=} \{y \mid \exists x, |x| \leq |y|^k, f(1x) = y\} \end{aligned}$$

Observe that $L_0, L_1 \in \text{EXP}$. Define the following function:

$$f_0(x) \stackrel{\text{df}}{=} \begin{cases} f(0x) & : \text{ if } |f(0x)|^k \geq |x|, \\ f_0(g(f(0x))) & : \text{ otherwise.} \end{cases}$$

Note that if $|f(0x)|^k < |x|$ then $|g(f(0x))| \leq |f(0x)|^k < |x|$. So, for some y , $|y| < |x|$, $f_0(x) = f_0(y)$. So, the recursion terminates. Thus, $f_0 \in \text{PF}$. Note that for every x there exists some y such that $f_0(x) = f(0y)$ and $|f(0y)|^k \geq |y|$. This implies that for all x , $f_0(x) \in L_0$.

Similarly define f_1 as

$$f_1(x) \stackrel{\text{df}}{=} \begin{cases} f(1x) & : \text{ if } |f(1x)|^k \geq |x|, \\ f_1(g(f(1x))) & : \text{ otherwise.} \end{cases}$$

By following an argument similar to the one above we can show that $f_1 \in \text{PF}$ and that $f_1(\Sigma^*) \subseteq L_1$.

We first show $K \leq_m^p L$ via reduction f_0 . This is done by induction on the number of recursion steps r in the definition of $f_0(x)$. If $r = 0$, then $f_0(x) = f(0x)$ and therefore,

$$x \in K \Leftrightarrow 0x \in 0K \Leftrightarrow 0x \in K' \Leftrightarrow f_0(x) = f(0x) \in L.$$

If $r \geq 1$ then $f_0(x) = f_0(g(f(0x)))$. Let $y = g(f(0x))$. By our induction hypothesis, $y \in K \Leftrightarrow f_0(y) \in L$. So we obtain

$$\begin{aligned} x \in K &\Leftrightarrow 0x \in 0K \Leftrightarrow 0x \in K' \Leftrightarrow f(0x) \in L \\ &\Leftrightarrow y = g(f(0x)) \in K \Leftrightarrow f_0(y) = f_0(g(f(0x))) = f_0(x) \in L. \end{aligned}$$

Thus, $K \leq_m^p L$ via f_0 . Analogously we show $K \leq_m^p L$ via f_1 .

Since $K \leq_m^p L$ via f_0 and $f_0(\Sigma^*) \subseteq L_0$ we have

- $K \leq_m^p (L \cap L_0)$ via f_0 .

Since f is 1-1, L_0 and L_1 are disjoint. Since $f_1(\Sigma^*) \subseteq L_1$, we have $f_1(\Sigma^*) \subseteq \overline{L_0}$. Combining this with $K \leq_m^p L$ via f_1 , we have:

- $K \leq_m^p (L \cap \overline{L_0})$ via f_1 .

Therefore $(L \cap L_0)$ and $(L \cap \overline{L_0})$ are each NEXP-hard. Both sets are NEXP-complete since $L_0 \in \text{EXP}$ and $L \in \text{NEXP}$. \square

Note that the above proof actually shows that each NEXP-complete set can be split into m -equivalent NEXP-complete m -mitotic parts with a set in EXP. The following theorem settles another questions that was raised by Buhrman and Torenvliet [BT94].

Theorem 4.4. *Every \leq_m^p -complete set for PSPACE is weakly T -mitotic.*

Proof. Let L be \leq_m^p -complete for PSPACE. There exists $f \in \text{PF}$ such that $L \leq_m^p \overline{L}$ via f . f clearly has the property that for all x $f(x) \neq x$. Choose $k \geq 1$ such that f is computable in time $n^k + k$.

Let t be a “tower” function defined by: $t(0) \stackrel{\text{df}}{=} -1$, $t(1) \stackrel{\text{df}}{=} 2$, and $t(i+1) \stackrel{\text{df}}{=} t(i)^{k+1}$ for $i \geq 1$. Define the inverse tower function as $t^{-1}(n) \stackrel{\text{df}}{=} \min\{i \mid t(i) \geq n\}$. Note that $t^{-1} \in \text{PF}$.

We first sketch the basic ideas of the proof. We partition Σ^* into sets $A, B \in \text{PSPACE}$ such that $L, L \cap A$, and $L \cap B$ are Turing-equivalent. It essentially suffices to show $L \leq_T^p L \cap B$. Given any x , we consider the sequence $x, f(x), f(f(x)), \dots$. These elements alternatively belong to L and \overline{L} . So in order to determine whether $x \in L$ it suffices to find out for an arbitrary $n \geq 0$ whether $f^n(x) \in L$. We define A and B such that for every x the first polynomially many words in the sequence contain an alternation between A and B ; that is, it contains at least one member of A and at least one member of B .

We embed in each sequence “anchors” with the property that if y is an anchor and $f(y)$ isn’t one then one of y and $f(y)$ is a member of A and the other is a member of B , and with the property that the membership in A as well as the membership in B of any anchor can be tested in polynomial time.

We consider the following three cases:

Case 1: The first polynomially many elements of the sequence are all anchors. We make sure that in this case the length of the words in the sequence is strictly increasing. This leads us to an alternation in the sequence (since an anchor belongs to A if and only if the inverse tower function

of its length is even). So within the first polynomially many words there are anchors $f^a(x) \in B$. Asking the oracle whether $f^a(x) \in L \cap B$ tells us whether $f^a(x) \in L$.

Case 2: Within the first polynomially many words of the sequence, there exists a non-anchor that is followed by an anchor. In this case we will be able to identify the anchor easily. Exactly one of both words belongs to B , and we can easily find out which one (since testing membership in B is easy for anchors). Say $f^n(x) \in B$. Again with help of the oracle we can find out whether $f^n(x) \in L$.

Case 3: There are no anchors within the first polynomially many words. However, A and B are constructed such that every second word in the sequence causes an alternation between A and B . In contrast to Case 1 and Case 2, here we do not know the exact positions of these alternations. Nevertheless, we can gain information as follows: We test 9 consecutive words from the sequence for membership in $L \cap B$. We know that two of these words belong to B such that one is at an even position in the sequence, while the other one is at an odd position. By the choice of f , the sequence strictly alternates between L and \bar{L} . So at least one of the 9 consecutive words belongs to $L \cap B$. This gives an n such that $f^n(x) \in L$.

This suffices to show that $L \leq_T^p L \cap B$.

Now we present the proof in full detail.

For every word x , we define its accompanying anchor $h(x)$ to be $f^{g(x)}(x)$, where $g(x)$ is given as follows: If there exists an m such that $|f^{m+1}(x)| > |f^m(x)|$ then $g(x)$ is the smallest such m ; otherwise, $g(x)$ is the smallest n such that $f^n(x) = \min\{y \mid \text{for some } i \text{ and } j, i \neq j, y = f^i(x) = f^j(x)\}$. If the word-length never increases in the sequence $x, f(x), f^2(x), \dots$, then it necessarily enters a cycle. Then $h(x)$ is the smallest word in the cycle and $g(x)$ is the smallest index that produces $h(x)$. Note that both g and h are computable in PSPACE.

Call a word x an *anchor* if $h(x) = x$. Observe that for every x , $h(x)$ is an anchor.

Claim 4.4. *For every x , x is an anchor if and only if $g(x) = 0$,*

If $g(x) = 0$, then $h(x) = x$ and x is an anchor. Assume $g(x) > 0$. If $g(x) = m$ according to the first case of g 's definition, then $|f^{m+1}(x)| > |f^m(x)|$ but $|f(x)| \leq |x|$. Therefore, $h(x) = f^m(x) \neq x$ and x is not an anchor. If $g(x) = n$ according to the second case of g 's definition, then for all $i \geq 0$, $|f^{i+1}(x)| \leq |f^i(x)|$. So the sequence $x, f(x), f(f(x)), \dots$ leads into a cycle, and n (in g 's definition) is the smallest number such that $f^n(x)$ belongs to this cycle. Note that $f^n(x)$ is the lexicographically minimal word of the cycle. Observe that $f^n(x) \neq x$, since otherwise $g(x) = n = 0$ which contradicts our assumption. Therefore, $h(x) = f^n(x) \neq x$ and x is no anchor. This proves Claim 4.4.

Claim 4.5. *For every non-anchor x , $g(x) = g(f(x)) + 1$.*

By Claim 4.4, $g(x) > 0$. Assume $g(x) = m$ according to the first case of g 's definition. So $m > 0$ is the smallest number such that $|f^m(f(x))| > |f^{m-1}(f(x))|$. Therefore, $g(f(x)) = m - 1$ and hence $g(x) = g(f(x)) + 1$. Assume $g(x) = n$ according to the second case of g 's definition. So the sequence $x, f(x), f(f(x)), \dots$ leads into a cycle. By definition, $n > 0$ is the smallest number such that $f^{n-1}(f(x))$ is the lexicographically minimal word of the cycle. Therefore, $g(f(x)) = n - 1$ and hence $g(x) = g(f(x)) + 1$. This shows Claim 4.5.

We work toward the definition of A and B . For Case 3 we have to make sure that for every x , every second word in the sequence $x, f(x), f(f(x)), \dots$ causes an alternation between A and B . Additionally, Case 2 needs such an alternation whenever a non-anchor is followed by an anchor. The following set of natural numbers provides the desired alternation structure.

$$N \stackrel{\text{def}}{=} \{n \mid n = 0 \text{ or } n \equiv 2 \pmod{4} \text{ or } n \equiv 3 \pmod{4}\}$$

We also must take Case 1 into account which calls for an alternation whenever we have a sequence of polynomially many anchors. By the definition of anchors it is clear that a sequence of consecutive anchors is strictly length-increasing. So we have to make sure that in such a sequence once in a while we alternate between A and B . We do this by partitioning Σ^* according to the inverse tower function. For $i \in \{0, 1\}$ let

$$S_i \stackrel{\text{df}}{=} \{x \mid t^{-1}(|x|) \equiv i \pmod{2}\}.$$

Observe that $S_0, S_1 \in \mathcal{P}$. Now let $A \stackrel{\text{df}}{=} (A_0 \cup A_1)$ and $B \stackrel{\text{df}}{=} (B_0 \cup B_1)$ where

$$\begin{aligned} A_0 &\stackrel{\text{df}}{=} \{x \mid h(x) \in S_0 \text{ and } g(x) \in N\}, \\ B_0 &\stackrel{\text{df}}{=} \{x \mid h(x) \in S_0 \text{ and } g(x) \notin N\}, \\ A_1 &\stackrel{\text{df}}{=} \{x \mid h(x) \in S_1 \text{ and } g(x) \notin N\}, \text{ and} \\ B_1 &\stackrel{\text{df}}{=} \{x \mid h(x) \in S_1 \text{ and } g(x) \in N\}. \end{aligned}$$

Observe that (A_0, A_1, B_0, B_1) form a partition of Σ^* . Hence (A, B) is a partition as well. $A_0, B_0, A_1, B_1, A, B \in \text{PSPACE}$.

In every sequence $x, f(x), f(f(x)), \dots$ either we can find a non-anchor (Cases 2 and 3) or we can find an anchor in B (Case 1). The following function takes care of this (note that an anchor belongs to B if and only if it belongs to S_1).

$$r(x) \stackrel{\text{df}}{=} \min\{i \mid |f^{i+1}(x)| \leq |f^i(x)| \text{ or } f^i(x) \in S_1\}$$

In Claim 4.7 below we will see that r is a total function. For the moment let us assume $r(x)$ to be infinite if the minimum in r 's definition does not exist.

Claim 4.6. *For every x and $0 \leq i < r(x)$, $|f^i(x)| < |x|^{k+1}$.*

Assume there exist x and i such that $0 \leq i < r(x)$ and $|f^i(x)| \geq |x|^{k+1}$. So $t^{-1}(|x|) < t^{-1}(|x|^{k+1}) \leq t^{-1}(|f^i(x)|)$ which shows that $|x|$ and $|f^i(x)|$ have different inverse tower functions. Hence there must exist $j < i$ such that $|f^j(x)|$ and $|f^{j+1}(x)|$ have different inverse tower functions. Note that $f^j(x), f^{j+1}(x) \in S_0$; otherwise, $r(x) \leq j + 1 \leq i$, which is not possible by the choice of i . This means $t^{-1}(|f^{j+1}(x)|) - t^{-1}(|f^j(x)|) \geq 2$ and therefore, $|f^{j+1}(x)| > |f^j(x)|^{k+1}$. This contradicts f 's computation time and proves Claim 4.6.

Claim 4.7. *For every x , $r(x) \leq |x|^{k+1}$. Particularly, r is a total function in FP.*

Assume there exists x such that $r(x) > |x|^{k+1}$. Let $n \stackrel{\text{df}}{=} |x|^{k+1}$ and consider the sequence $f^0(x), f^1(x), \dots, f^n(x)$. By assumption, $f^i(x) \notin S_1$ for $i \leq n$ and $|f^0(x)| < |f^1(x)| < \dots < |f^n(x)|$. Hence $|f^n(x)| \geq n = |x|^{k+1}$ which contradicts Claim 4.6. So for every x , $r(x) \leq |x|^{k+1}$. Particularly, r is total. Containment in FP follows from Claim 4.6. This proves Claim 4.7.

The polynomial-time algorithm given in Figure 2 accepts an input x if and only if $x \in L$. For every x , this algorithm asks at most 9 queries to its oracle $L \cap B$. In particular, $L \leq_{\text{btt}}^p L \cap B$.

Claim 4.8. *The algorithm works in polynomial time.*

By Claim 4.7, $n \leq |x|^{k+1}$ after step 1. From Claim 4.6 it follows that for $0 \leq i \leq 8$, $f^{n+i}(x)$ can be computed in polynomial time. This shows that all steps of the algorithm can be carried out in polynomial time. This proves Claim 4.8.

Claim 4.9. *If the algorithm stops in step 4, then it accepts if and only if $x \in L$.*

```

1  n := r(x)
2  if |fn+1(x)| > |fn(x)| then
3    // here fn(x) ∈ S1, g(fn(x)) = 0, and fn(x) ∈ B1
4    accept if and only if [fn(x) ∈ L ∩ B ⇔ n ≡ 0 (mod 2)]
5  else
6    Q := {fn+i(x) | 0 ≤ i ≤ 8}
7    if ∀i ∈ [1, 8], |fn+i(x)| ≥ |fn+i+1(x)| then
8      // here for all i ∈ [0, 8], |fn+i(x)| ≥ |fn+i+1(x)|
9      if ||Q|| = 9 then
10       choose smallest j ∈ [0, 8] such that fn+j(x) ∈ L ∩ B
11       accept if and only if n + j ≡ 0 (mod 2)
12     else
13       // ∃i ∈ [0, 7], ∃j ∈ [(i + 1), 8] such that fn+i(x) = fn+j(x)
14       choose the smallest such i
15       choose l ∈ [(i + 1), 8] s.t. fn+l(x) = min{fn+j(x) | j ∈ [i, 8]}
16       a := n + l
17     endif
18   else
19     // Q has an anchor whose length increases under f
20     choose smallest i ∈ [0, 8] such that |fn+i(x)| < |fn+i+1(x)|
21     a := n + i
22   endif
23   // a ≥ 1, fa(x) is an anchor, and fa-1(x) is no anchor
24   if fa(x) ∈ S1 then
25     // here fa(x) ∈ S1 and therefore fa(x) ∈ B1
26     accept if and only if [fa(x) ∈ L ∩ B ⇔ a ≡ 0 (mod 2)]
27   else
28     // here fa(x) ∈ S0 and therefore fa-1(x) ∈ B0
29     accept if and only if [fa-1(x) ∈ L ∩ B ⇔ a ≡ 1 (mod 2)]
30   endif
31 endif

```

Figure 2: Algorithm for $L \stackrel{p}{\leq}_{btt} L \cap B$ in Theorem 4.4.

If we reach step 3, then by the definition of $r(x)$, $f^n(x) \in S_1$. Note that $f^n(x)$ is an anchor, since its length increases under f . Hence $h(f^n(x)) = f^n(x) \in S_1$ and $g(f^n(x)) = 0 \in N$. Therefore, $f^n(x) \in B_1 \subseteq B$ and hence

$$\begin{aligned} x \in L &\Leftrightarrow [f^n(x) \in L \Leftrightarrow n \equiv 0 \pmod{2}] \\ &\Leftrightarrow [f^n(x) \in L \cap B \Leftrightarrow n \equiv 0 \pmod{2}]. \end{aligned}$$

This proves Claim 4.9.

Claim 4.10. *If the algorithm stops in step 11, then it accepts if and only if $x \in L$.*

Step 11 can only be reached via step 8. Observe that in step 8,

$$\forall i \in [0, 8], |f^{n+i}(x)| \geq |f^{n+i+1}(x)|. \quad (1)$$

$\|Q\| = 9$ once we reach step 10. So for $i \in [0, 8]$, all $f^{n+i}(x)$ are pairwise different.

First we want to see that if we apply g to the elements of Q , then this yields at least 5 consecutive natural numbers. Formally, we claim that there exists $t \in [0, 4]$ such that

$$\forall i \in [t, t+3], g(f^{n+i}(x)) = g(f^{n+i+1}(x)) + 1. \quad (2)$$

If Q does not contain anchors, then by Claim 4.5, for $i \in [0, 7]$, $g(f^{n+i}(x)) = g(f^{n+i+1}(x)) + 1$ and we are done by choosing $t = 0$. If Q contains anchors, then by (1), these must be anchors whose lengths do not increase under f . All these anchors are in the same cycle (see second case of g 's definition). Since every cycle has exactly one anchor, Q must contain exactly one anchor. Say the anchor is $f^{n+j}(x)$ where $j \in [0, 8]$. If $j \leq 3$, then for $i \in [4, 8]$, $f^{n+i}(x)$ is no anchor. So (2) holds for $t = 4$. If $j \geq 4$, then (2) holds for $t = 0$. This proves equation (2).

From (1) it follows that all $w \in Q$ have the same anchor $h(w)$. Choose $t \in [0, 4]$ such that (2) holds. By the definitions of A , B , and N , the following can be verified, by using the periodical structure of N and the property about the five consecutive indices, as shown in (2).²

1. $\exists i \in [t, t+4]$ such that i is odd and $f^{n+i}(x) \in A$
2. $\exists i \in [t, t+4]$ such that i is even and $f^{n+i}(x) \in A$
3. $\exists i \in [t, t+4]$ such that i is odd and $f^{n+i}(x) \in B$
4. $\exists i \in [t, t+4]$ such that i is even and $f^{n+i}(x) \in B$

Choose $i, j \in [t, t+4] \subseteq [0, 8]$ that satisfy items 3 and 4, respectively. Since i is odd and j is even, one of $f^{n+i}(x)$ and $f^{n+j}(x)$ has to be in L , since f alternates between L and \bar{L} . So either $f^{n+i}(x)$ or $f^{n+j}(x)$ belongs to $L \cap B$. Therefore, the choice in step 10 is possible. After step 10, $f^{n+j}(x) \in L$ and therefore, $x \in L \Leftrightarrow n + j \equiv 0 \pmod{2}$. This proves Claim 4.10.

Claim 4.11. *In step 23, $a \geq 1$, $f^a(x)$ is an anchor, and $f^{a-1}(x)$ is not an anchor.*

We can reach step 23 either via step 13 or via step 19. Assume we reach it via step 13. We already observed that (1) holds in step 8. If we reach step 13, then there must exist i, j such that $0 \leq i < j \leq 8$ and $f^{n+i}(x) = f^{n+j}(x)$. So Q contains a cycle, and in step 14 we choose the first element that belongs to this cycle. In step 15 we choose l such that $f^{n+l}(x)$ is the smallest element

²This is the point where we need the fact that N alternates at every second number (except for 0 and 1).

of the cycle. Hence $f^{n+l}(x) = f^a(x)$ is an anchor. Note that $a \geq 1$. Moreover, $f^{a-1}(x)$ already belongs to the cycle and is therefore no anchor.

Assume now that we reach step 23 via step 19. If we reach step 19, then by the condition in step 7, in Q there exists an anchor whose length increases under f . We choose the first such anchor we reach. After step 21, this anchor can be described as $f^a(x)$. Note that $a \geq 1$, since $i > 0$ by the condition in step 2. Moreover, $|f^{a-1}(x)| \geq |f^a(x)|$ which in turn implies that $f^{a-1}(x)$ is not an anchor. This proves Claim 4.11.

Claim 4.12. *The algorithm accepts L .*

By Claims 4.9 and 4.10 it remains to argue for the case that the algorithm stops in step 26 or in step 29.

Assume we stop in step 26. Since $f^a(x)$ is an anchor, $h(f^a(x)) = f^a(x)$ and $g(f^a(x)) = 0 \in N$. Hence $f^a(x) \in B_1 \subseteq B$, and thus,

$$\begin{aligned} x \in L &\Leftrightarrow [f^a(x) \in L \Leftrightarrow a \equiv 0 \pmod{2}] \\ &\Leftrightarrow [f^a(x) \in L \cap B \Leftrightarrow a \equiv 0 \pmod{2}]. \end{aligned}$$

Assume we stop in step 29. $f^a(x)$ belongs to S_0 , since (S_0, S_1) is a partition of Σ^* . We know that $f^{a-1}(x)$ is no anchor and $f^a(x)$ is an anchor. Hence $h(f^{a-1}(x)) = f^a(x) \in S_0$ and $g(f^{a-1}(x)) = 1 \notin N$.³ It follows that $f^{a-1}(x) \in B_0 \subseteq B$. Thus,

$$\begin{aligned} x \in L &\Leftrightarrow [f^{a-1}(x) \in L \Leftrightarrow a \equiv 1 \pmod{2}] \\ &\Leftrightarrow [f^{a-1}(x) \in L \cap B \Leftrightarrow a \equiv 1 \pmod{2}]. \end{aligned}$$

This proves Claim 4.12.

From Claim 4.12 it immediately follows that $L \leq_{btt}^p L \cap B$. In a similar way we show that $L \leq_{btt}^p L \cap A$. For this we only have to modify a few things in the proof above. We have to define r as

$$r(x) \stackrel{df}{=} \min\{i \mid |f^{i+1}(x)| \leq |f^i(x)| \text{ or } f^i(x) \in S_0\}.$$

Claims 4.6, 4.7, 4.8, 4.9, 4.11, and 4.12 can be proved analogously for A instead of B . In the proof of Claim 4.10 we have to use the items 1 and 2 instead of 3 and 4. For completeness, we present in Figure 3 the \leq_{btt}^p -reduction from L to $L \cap A$.

It follows that L , $L \cap A$, and $L \cap B$ are Turing-equivalent. Therefore, L is weakly T -mitotic. This completes the proof of Theorem 4.4. \square

We conclude this section by considering a question that asks about relations between mitoticity and autoreducibility. Ambos-Spies showed that every mitotic set is autoreducible. Buhrman and Torenvliet [BT94] asked whether whether m -autoreducibility implies m -mitoticity. The following proposition shows that it is difficult to disprove this implication.

Proposition 4.1. *If there exists a set that is m -autoreducible but not m -mitotic, then $P \neq PSPACE$.*

³This is the point where we need the fact that N starts with an alternation, i.e., $0 \in N$ and $1 \notin N$. Suppose we defined $N = \{2, 3, 6, 7, 10, 11, \dots\}$ and let $w_i \stackrel{df}{=} f^{n+i}(x)$. Then it could happen that $|w_0| = 10$, $|w_1| = 9$, $|w_2| = 10$, $|w_3| = 9$, and so on. The words w_1, w_3, w_5, \dots are anchors. Assume that for all i , $h(w_i) \in S_1$. So in the whole sequence w_0, w_1, w_2, \dots there is no word that belongs to B .

```

1  n := r(x)
2  if |fn+1(x)| > |fn(x)| then
3    // here fn(x) ∈ S0, g(fn(x)) = 0, and fn(x) ∈ A0
4    accept if and only if [fn(x) ∈ L ∩ A ⇔ n ≡ 0 (mod 2)]
5  else
6    Q := {fn+i(x) | 0 ≤ i ≤ 8}
7    if ∀i ∈ [1, 8], |fn+i(x)| ≥ |fn+i+1(x)| then
8      // here for all i ∈ [0, 8], |fn+i(x)| ≥ |fn+i+1(x)|
9      if ||Q|| = 9 then
10       choose smallest j ∈ [0, 8] such that fn+j(x) ∈ L ∩ A
11       accept if and only if n + j ≡ 0 (mod 2)
12     else
13       // ∃i ∈ [0, 7], ∃j ∈ [(i + 1), 8] such that fn+i(x) = fn+j(x)
14       choose the smallest such i
15       choose l ∈ [(i + 1), 8] s. t. fn+l(x) = min{fn+j(x) | j ∈ [i, 8]}
16       a := n + l
17     endif
18   else
19     // Q has an anchor whose length increases under f
20     choose smallest i ∈ [0, 8] such that |fn+i(x)| < |fn+i+1(x)|
21     a := n + i
22   endif
23   // a ≥ 1, fa(x) is an anchor, and fa-1(x) is no anchor
24   if fa(x) ∈ S0 then
25     // here fa(x) ∈ S0 and therefore fa(x) ∈ A0
26     accept if and only if [fa(x) ∈ L ∩ A ⇔ a ≡ 0 (mod 2)]
27   else
28     // here fa(x) ∈ S1 and therefore fa-1(x) ∈ A1
29     accept if and only if [fa-1(x) ∈ L ∩ A ⇔ a ≡ 1 (mod 2)]
30   endif
31 endif

```

Figure 3: Algorithm for $L \stackrel{p}{\leq}_{btt} L \cap A$ in Theorem 4.4.

Proof. Assume $P = PSPACE$. Let A be any m -autoreducible set and let f be the autoreduction function. We show that A is m -mitotic.

Let \star be a special symbol not in Σ^* . Define the greatest predecessor of w , $Gp(w)$, by the following total function $Gp : \Sigma^* \cup \{\star\} \rightarrow \Sigma^* \cup \{\star\}$.

$$Gp(w) \stackrel{df}{=} \begin{cases} v & : \text{ if } v \in \Sigma^* \text{ and } v \text{ is the lexicographically greatest word less} \\ & \text{ than } w \text{ such that } f(v) = w, \\ \star & : \text{ otherwise, i.e., either } w = \star \text{ or } w \in \Sigma^* \text{ but such } v \text{ does} \\ & \text{ not exist.} \end{cases}$$

$Gp \in PF$, since we assumed $P = PSPACE$. Define $h(w)$ to be the minimal $n \geq 1$ such that $Gp^n(w) = \star$ (where Gp^n is the n repetitive applications of Gp to w). Note that such n must exist. Note also that $h \in PF$ since we assumed $P = PSPACE$.

Define $f'(w) = f^n(w)$, where n is the smallest number $i \geq 1$ such that $f^i(w) > f^{i-1}(w)$. Such n must exist, since for all w , $f(w) \neq w$. Note that $f^n(w)$ can be determined in polynomial space, since $w = f^0(w) > f^1(w) > \dots > f^{n-1}(w)$. Therefore, by our assumption, $f' \in PF$. Note that f' reduces A to A . Also, for every w , $Gp(f'(w)) \neq \star$. Hence, for every w , $h(f'(w)) > 1$.

Define $B = \{w \mid h(w) \text{ is odd}\}$. This is a set in P and divides A in the sense of m -mitoticity. It remains to show that A , $A \cap B$, and $A \cap \overline{B}$ are m -equivalent. For this, define

$$r(w) \stackrel{df}{=} \begin{cases} Gp(w) & : \text{ if } h(w) > 1, \\ f'(w) & : \text{ if } h(w) = 1 \text{ and } f'(w) \notin B, \\ Gp(f'(w)) & : \text{ if } h(w) = 1 \text{ and } f'(w) \in B. \end{cases}$$

Observe that $r \in PF$. We claim:

1. $r(w) \in A \Leftrightarrow w \in A$
2. $r(w) \in B \Leftrightarrow w \notin B$

Proof of (1): If $h(w) > 1$, then $Gp(w) \neq \star$ and therefore, $r(w) = Gp(w) \in A \Leftrightarrow f(Gp(w)) = w \in A$. If $h(w) = 1$ and $f'(w) \notin B$, then $r(w) = f'(w) \in A \Leftrightarrow w \in A$, since f' reduces A to A . Now assume $h(w) = 1$ and $f'(w) \in B$. Here $r(w) = Gp(f'(w)) \neq \star$ as shown above. Therefore, $r(w) \in A \Leftrightarrow f(Gp(f'(w))) \in A \Leftrightarrow f'(w) \in A \Leftrightarrow w \in A$.

Proof of (2): If $h(w) > 1$, then $h(Gp(w)) = h(w) - 1$ and therefore, $w \in B \Leftrightarrow r(w) = Gp(w) \notin B$. If $h(w) = 1$ and $f'(w) \notin B$, then $w \in B$ and $r(w) = f'(w) \notin B$. Finally, assume $h(w) = 1$ and $f'(w) \in B$. $h(f'(w))$ is odd and > 1 (as seen above). This implies $h(f'(w)) > 2$. Therefore, $h(Gp(f'(w)))$ is even and greater than 1. So $r(w) = Gp(f'(w)) \notin B$ and $w \in B$.

The following function reduces A to $A \cap B$: If $w \in B$, then output w ; otherwise output $r(w)$. Function r reduces $A \cap B$ to $A \cap \overline{B}$. The following function reduces $A \cap \overline{B}$ to A : If $w \notin B$, then output w ; otherwise output a fixed element from \overline{A} . Therefore, A , $A \cap B$, and $A \cap \overline{B}$ are m -equivalent and hence A is m -mitotic. \square

5 Immunity

In Glaßer et al. [GPSS04], the authors proved immunity results for NP-complete sets on the assumption that certain average-case hardness conditions are true. For example, they show that if

one-way permutations exist, then NP-complete sets are not 2^{n^ϵ} -immune. Here we obtain a non-immunity result for NP-complete sets under the assumption that the following worst-case hardness hypothesis holds.

Hypothesis T: There is an NP machine N that accepts 0^* and no P-machine can compute its accepting computations. This means that for every polynomial-time machine M there exist infinitely many n such that $M(0^n)$ is not an accepting computation of $N(0^n)$.

Though the hypothesis looks verbose, we note that it is implied by a simply stated and believable hypothesis.

Observation 5.1. *If there is a tally language in $\text{NP} \cap \text{coNP} - \text{P}$, then Hypothesis T is true.*

We show that if Hypothesis T holds, then NP-complete languages are not $2^{n(1+\epsilon)}$ -immune.

Theorem 5.1. *If Hypothesis T holds, then, for every $\epsilon > 0$, NP-complete languages are not $2^{n(1+\epsilon)}$ -immune.*

Proof. Let L be any NP-complete language. We first show that there is a reduction from 0^* to L that is infinitely often exponentially honest. We then use this fact to show that L is not $2^{n(1+\epsilon)}$ -immune.

Lemma 5.1. *Assume that the hypothesis holds. For every NP complete language L , there exists a constant $c > 0$, such that for every $k' > 0$, there exists a reduction f from 0^* to L such that for infinitely many n , $|f(0^n)| > k' \log n$. The reduction f can be computed in time $O(n^{k'+c})$.*

Proof. Let M be the NP machine from the hypothesis. Let a_n be the lexicographically maximum accepting computation of M on 0^n . Consider the set

$$S = \{\langle 0^n, y \rangle \mid y \leq a_n\}.$$

It is obvious that S is in NP. Let g be a many-one reduction from S to L . We now describe a reduction from 0^* to L with the desired properties. Let T be the computation tree of M on 0^n . Without loss of generality, assume T is a complete binary tree, and let d denote the depth of T . The reduction traverses T in stages. At stage k it maintains a list of nodes at level k . Initially at Stage 1, $list_1$ contains the root of the tree. The reduction also maintains a variable called $next$, whose value is initially undefined. We now describe Stage $k > 1$.

1. Let $list_{k-1} = \langle u_1, u_2, \dots, u_l \rangle$. Let v_1, v_2, \dots, v_{2l} be the children of nodes in $list_{k-1}$. Assume $v_1 < v_2 < \dots < v_{2l}$. Set $list_k = \langle v_1, \dots, v_{2l} \rangle$.
2. Consider the first j such that $|g(\langle 0^n, v_j \rangle)| > k' \log n$.
3. If such j exists, then let $list_k = \langle v_1, v_2, \dots, v_{j-1} \rangle$ and $next = v_j$.
4. Prune $list_k$, i.e., if there exist $i < r$ such that $g(\langle 0^n, v_i \rangle) = g(\langle 0^n, v_r \rangle)$, then remove $v_i, v_{i+1}, \dots, v_{r-1}$ from $list_k$.

The following is the desired reduction f from 0^* to L . Let x be the input and let $n = |x|$.

- If $x \neq 0^n$, then output a fixed string not in L .
- Run Stages 1, \dots , d .

- All nodes in $list_d$ are leaf nodes. If $list_d$ contains an accepting node, then output a fixed string in L , else output $g(\langle 0^n, next \rangle)$.

We claim that the above reduction has the desired properties. It is obvious that the reduction is correct on non-tally strings. So we focus only on tally strings. We show a series of claims that help us in showing the correctness of the reduction.

We first make a couple of observations.

Observation 5.2. *Consider Step 4 of Stage k , if a node v_m is removed from $list_k$, then the rightmost accepting computation of M on 0^n does not pass through v_m .*

Proof. Step 4 removes nodes v_i, \dots, v_{r-1} from $list_k$, if there exist $i < r$ such that $g(\langle 0^n, v_i \rangle) = g(\langle 0^n, v_r \rangle)$. Assume that the right most accepting computation passes through a node v_m such that $i \leq m \leq r - 1$. By definition of S , $\langle 0^n, v_i \rangle \in S$ and $\langle 0^n, v_r \rangle \notin S$. However, g is a many-one reduction from S to L , and $g(\langle 0^n, v_i \rangle) = g(\langle 0^n, v_r \rangle)$. This is a contradiction. \square

Observation 5.3. *Let k be the first stage at which the variable $next$ is defined. For every $r \geq k$ and for all $u \in list_r$ it holds that $u < next$.*

Proof. We prove the claim by induction. Assume $next$ is defined for the first time during Stage k . This happens in Step 3, where $next = v_j$ and $list_k = \langle v_1, \dots, v_{j-1} \rangle$. In Step 4 some nodes from $list_k$ are deleted. Since $v_1 < v_2 < \dots < v_{j-1} < v_j = next$, the claim holds after Stage k . We now show that if the claim holds at the beginning of Stage r , then it holds at the end of Stage r . Consider Stage r . At the beginning of this stage, $list_r = \langle u_1, \dots, u_l \rangle$ where $u_i < next$ for $1 \leq i \leq l$. During this stage the value of $next$ may or may not change. If the value of $next$ changes, then it happens in Step 3. Here we set $next = v_j$, $list_r$ will be a subset of $\{v_1, \dots, v_{j-1}\}$, thus the claim holds after the stage. Suppose the value of $next$ does not change. At the end of the Stage r , $list_r = \langle v_1, \dots, v_m \rangle$ and every node v in $list_r$ is a child of some node u_i . Since $u_i < next$ and v is a child of u_i , we have $v < next$. \square

Claim 5.1. *For every $k > 1$, one of the following statements holds at the end of Stage k .*

- A** $next$ is undefined, and the rightmost accepting computation of M on 0^n passes through a node in $list_k$.
- B** $next$ is defined and the rightmost accepting computation passes through a node in $list_k$.
- C** $next$ is defined, and the rightmost accepting computation either passes through $next$ or lies to the right of $next$.

Proof. We will show that if one of the three statements hold before the beginning of Stage k , then one of the three statements, possibly different, hold at the end of Stage k . Initially, at the beginning of Stage 2, $list_2$ contains $root$ and $next$ is undefined, so Statement **A** holds. Let $k \geq 2$ and assume that one of the statements holds at the beginning of Stage k . We consider three cases.

Case 1: Statement **A** holds. Let $list_k = \langle u_1, \dots, u_l \rangle$ at the beginning of the stage. After Step 2 $list_k$ becomes $\langle v_1, v_2, \dots, v_{2l} \rangle$. Since the v_i 's are children of the u_i 's, the rightmost accepting computation must pass through a node v_r that is in $list_k$. Consider Step 3. If there is no j such that $g(\langle 0^n, v_j \rangle) > k' \log n$, then $next$ remains undefined at the end of Stage k , and no changes are made to list in Step 3. Thus $v_r \in list_k$ after Step 3. In Step 4, we apply pruning. By Observation 5.2, v_r

is not removed from $list_k$ during Step 5. Thus at the end of the Stage k , the rightmost accepting computation passes v_r and $v_r \in list_k$, and so at the end of Stage k , Statement **A** holds.

Now consider the case where the procedure finds j such that $|g(\langle 0^n, v_j \rangle)| > k' \log n$. This sets $next$ to v_j . If $j \leq r$, then v_r is removed from $list_k$. However, since $v_j \leq v_r$, the rightmost accepting computation either passes through $next$ or lies to the right of $next$. Statement **C** thus holds. If $j > r$, then after Step 3 $v_r \in list_k$. By Observation 5.2, v_r remains in the list after Stage 4, and so Statement **B** holds at the end of Stage k .

Case 2: Statement **B** holds at the beginning of Stage k . This implies that after Step 2 the rightmost accepting computation passes through a node v_r in $list_k$. Again, there are three possibilities for Step 2: (i) no such j is found, (ii) j is defined and $j \leq r$, and (iii) j is defined and $j > r$. By following an argument similar to that of the previous case, we can show that one of the statements holds at the end of the Stage k .

Case 3: Statement **C** holds at the beginning of Stage k . Let $list_k = \langle u_1, \dots, u_l \rangle$ at the beginning. If the value of $next$ does not change during this stage, then Statement **C** holds after this stage. The value of $next$ changes if there is a j such that $|g(\langle 0^n, v_j \rangle)| > k' \log n$. By Observation 5.3, for every $u \in list_k$, $u < next$. Since v_j is a child of some node u , we have $v_j < u < next$. Thus the right most accepting computation lies to the right of v_j . Since $next$ becomes v_j , Statement **C** holds at the end of this stage. \square

Claim 5.2. *The above reduction f is correct, i.e., for every n , $f(0^n)$ is a string in L .*

Proof. Note that $f(0^n)$ is a fixed string in L , if $list_d$ contains an accepting leaf node. In this case the reduction is obviously correct. Suppose none of the leaf nodes in $list_d$ is an accepting node. Then the right most accepting computation does not pass through any node in $list_d$. By the previous claim, at the end of Stage d , $next$ is defined and the right most accepting computation either passes through $next$ or lies to the right of $next$. Thus $(\langle 0^n, next \rangle) \in S$. Since the reduction outputs $g(\langle 0^n, next \rangle)$, and g is a many-one reduction from S to L , the claim follows. \square

Our next claim bounds the size of $list_r$.

Claim 5.3. *For every $k > 0$, at the beginning of Stage k , the size of $list_k$ is at most $2n^{k'}$.*

Proof. Note that after Step 3, for every node u in $list_k$, $|g(\langle 0^n, u \rangle)| \leq k' \log n$. After Step 4, for every pair of nodes u and v in $list_r$, we have $g(\langle 0^n, u \rangle) \neq g(\langle 0^n, v \rangle)$. Thus, after Stage k , $|list_k| \leq 2n^{k'}$. \square

Next we show that the reduction runs in polynomial time. Assume that, for any node $u \in T$, the computation of $g(\langle 0^n, u \rangle)$ takes n^r steps. Let the depth of the tree T be n^l . We define c to be $r + l$. Note that the constant c depends only on L , and is independent of k' .

Claim 5.4. *The running time of the reduction is $O(n^{k'+c})$.*

Proof. First we calculate the running time of Stage k . Observe that Step 2 is the most expensive step. By the previous claim, at the beginning of Stage k , $|list_k| \leq 2n^{k'}$. After Step 1, $|list_k| \leq 4n^{k'}$. In Step 2, we compute g for every node in $list_k$. The time required for this computation is $O(n^{k'+r})$. So, Stage k requires $O(n^{k'+r})$ steps. Since there are $d = n^l$ stages, the time taken for the reduction is $O(n^{k'+r+l}) = O(n^{k'+c})$. \square

Claim 5.5. *For infinitely many n , after Stage d , $list_d$ does not contain accepting nodes.*

Proof. Assume that for all but finitely many n , after Stage d , $list_d$ contains an accepting node. By Claim 5.4, the time taken by the reduction is $O(n^{k'+c})$. Thus, for all but finitely many n , the procedure computes a polynomial-size list that contains an accepting node. Thus, for all but finitely many n , there is a polynomial-time algorithm that outputs an accepting computation of M on 0^n . This contradicts Hypothesis T. \square

Claim 5.6. *For infinitely many n , the reduction outputs a string whose length is bigger than $k' \log n$.*

Proof. By the previous claim, for infinitely many n , $list_d$ does not contain an accepting node. So, for infinitely many n , the rightmost accepting computation of M on 0^n does not pass through a node in $list_d$. Thus, by Claim 5.1, Statement C holds after Stage d . Thus, $next$ is defined, and the reduction outputs $g(\langle 0^n, next \rangle)$. Note that the reduction defines $next$ to be v , only if $|g(\langle 0^n, v \rangle)| > k' \log n$. Thus for infinitely many n , the reduction outputs a string whose length is bigger than $k' \log n$. \square

This concludes the proof of Lemma 5.1. \square

Combing the following lemma with Lemma 5.1 completes the proof of the theorem.

Lemma 5.2. *Let L be any NP-complete language. If there is a constant $c > 0$ such that for every $k > 0$ there is a reduction f from 0^* to L such that, for infinitely many n , $|f(0^n)| > k \log n$, and f can be computed in time $O(n^{k+c})$, then for every $\epsilon > 0$, L is not $2^{n(1+\epsilon)}$ -immune.*

Proof. Given $\epsilon > 0$, pick k such that $k > (c+1)/\epsilon$. There is a reduction f from 0^* to L such that for infinitely many n , $|f(0^n)| > k \log n$. From this it follows that there exist infinitely many x , $|x| = m$, for which there exist $n < 2^{m/k}$ such that $f(0^n) = x$. Consider the algorithm that, on input x , $|x| = m$, behaves as follows:

1. For $i = 1$ to $2^{m/k}$, if $f(0^i) = x$ then accept x and halt.
2. Reject x .

The above algorithm accepts a string x only when it finds that for some i , $f(0^i) = x$. Since f is a many-one reduction from 0^* to L , the above algorithm accepts a subset of L . There exist infinitely many x for which $f(0^i) = x$ for some i , $1 \leq i \leq 2^{m/k}$. So, the above algorithm accepts an infinite set. The most time-consuming step of the algorithm is computation of $f(0^i)$ and this requires i^{k+c} steps. Since i ranges between 1 and $2^{m/k}$, the running time of the algorithm is $2^{m(1+\frac{c+1}{k})}$. Since $\frac{c+1}{k} < \epsilon$, the time taken by the algorithm is $2^{m(1+\epsilon)}$. Thus L is not $2^{n(1+\epsilon)}$ -immune. \square

Theorem 5.1 follows from the Lemmas 5.1 and 5.2. \square

Corollary 5.1. *If there is a tally language in $NP \cap coNP - P$, then, for every $\epsilon > 0$, NP-complete languages are not $2^{n(1+\epsilon)}$ -immune.*

Next we consider the possibility of obtaining an unconditional result regarding non-immunity of NP-complete languages. We show that for certain type of NP-complete languages we get an unconditional result.

Definition 5.1. A language L does not have superpolynomial gaps, if there exists $k > 0$ such that for all but finitely many n , there exists a string x in L such that $n \leq |x| \leq n^k$.

We show that NP-complete languages that have no superpolynomial gaps are not immune.

Theorem 5.2. *If L is an NP-complete language that has no superpolynomial gaps, then for every $\epsilon > 0$, L is not $2^{n(1+\epsilon)}$ -immune.*

Proof. Suppose there exists a $2^{n(1+\epsilon)}$ -immune NP-complete language L that does not have superpolynomial gaps. Then, by a result of Hitchcock and Pavan [HP04], Hypothesis T holds. Thus, by Theorem 5.1, we have a contradiction. \square

The above theorem prompts the following question: Are there NP-complete languages with superpolynomial gaps? We have the following result. Given two complexity classes \mathcal{A} and \mathcal{B} , we say $\mathcal{A} \subseteq_{io} \mathcal{B}$, if for every language $A \in \mathcal{A}$, there exists a language $B \in \mathcal{B}$ such that for infinitely many n , $A^n = B^n$.

Theorem 5.3. *If NP has a complete language with superpolynomial gaps, then for every $\epsilon > 0$, $\text{NP} \subseteq_{io} \text{DTIME}(2^{n^\epsilon})$.*

Proof. Assume L is an NP-complete language with superpolynomial gaps, let $L \in \text{DTIME}(2^{n^k})$. Let S be any language in NP. Since L is NP-complete, S is many-one reducible to L via a reduction f whose running time is n^r . Note that for every x , $|f(x)| \leq |x|^r$. Without loss of generality, assume $r > k$, and let $l = r/\epsilon$. Since L has superpolynomial gaps, for infinitely many n , L is empty between lengths $n^{1/l}$ and n^l . Consider the following algorithm M .

1. Input x , $|x| = n$.
2. Compute $f(x)$.
3. If $n^{1/l} \leq |f(x)|$, then reject x .
4. Else accepts x if and only if $f(x)$ belongs to L .

The algorithm checks for membership of $f(x)$ in L , only when $|f(x)| < n^{1/l}$. The time taken for this step is $2^{|f(x)|^k} \leq 2^{|f(x)|^r} \leq 2^{n^{r/l}} = 2^{n^\epsilon}$. Thus the language accepted by the above machine M belongs to $\text{DTIME}(2^{n^\epsilon})$.

We now claim that $L(M)$ equals S at infinitely many lengths. Since L has superpolynomial gaps, for infinitely many n , L is empty between lengths $n^{1/l}$ and n^l . Consider one such length n . Observe that for any string x of length n , $|f(x)| \leq n^r \leq n^l$. If $n^{1/l} \leq |f(x)| \leq n^l$, then $x \notin S$. In this case the algorithm decides x correctly. If $|f(x)| < n^{1/l}$, the algorithm accepts x if and only if $f(x) \in L$. Thus the algorithm is correct on x . Thus at length n , $S^n = L(M)^n$. Thus $S \in_{io} \text{DTIME}(2^{n^\epsilon})$. \square

Combining Theorems 5.2 and 5.3 we have the following corollary.

Corollary 5.2. *If for some $\delta > 0$, $\text{NP} \not\subseteq_{io} \text{DTIME}(2^{n^\delta})$, then for every $\epsilon > 0$, no NP-complete language is $2^{n(1+\epsilon)}$ -immune.*

6 Exponentially Honest Reductions

In the previous section we showed that if $\text{NP} \cap \text{coNP} - \text{P}$ has a tally language, then there exist reductions from 0^* to NP-complete sets that are infinitely often exponentially honest. In this section, we consider a stronger hypothesis and show that if this hypothesis holds, then every NP-complete set is complete with respect to exponentially honest reductions.

We first make a few observations regarding Lemma 5.1 and its proof.

Corollary 6.1. *Assume there exists an NP machine that accepts 0^* such that no P-machine can compute infinitely many accepting computations of M . Then for every NP-complete language L and for every $k > 0$, there is a polynomial-time many-one reduction f from 0^* to L such that for all but finitely many n , $|f(0^n)| > k \log n$.*

Proof. Under this stronger hypothesis, the assertions made in the Claims 5.5 and 5.6 hold for all but finitely many n . \square

Corollary 6.2. *Assume there exists an NP machine that accepts 0^* such that no 2^{2n} -time-bounded machine can compute infinitely many accepting computations of M . Let L be any NP-complete language, and S be any set in NP. For every $k > 0$, there is a polynomial-time computable, partial function f such that*

- (i) $f(x)$ is defined for all $x \in S$,
- (ii) if $f(x)$ is defined then $(x \in S \Leftrightarrow f(x) \in L)$ and $|f(x)| > k \log n$, and
- (iii) if $f(x)$ is undefined then $x \notin S$. Moreover, in polynomial time we can decide whether $f(x)$ is defined or not.

Proof. Let a_n be the maximum accepting computation of M on 0^n . Consider the following set

$$S' = \{\langle x, y \rangle \mid |x| = n, x \in S, y \leq a_n\}.$$

Since S' is in NP, there is a many-one reduction g from S' to L . The desired function f is similar to the reduction described in Lemma 5.1. Given x as input, it traverses the tree T in stages. During Stage k , it maintains $list_k$ which is a subset of nodes at level k . It also has an auxiliary variable $next$. After Stage d , f considers $list_d$. If $list_d$ contains an accepting node u of T , then it outputs $g(\langle x, u \rangle)$. Otherwise, if $next$ is defined, then it outputs $g(\langle x, next \rangle)$; if $next$ is undefined, then f is undefined. We argue that for all but finitely many $x \in S$, $list_d$ does not contain an accepting node of T and $next$ is defined. Otherwise we get a 2^{2n} -time bounded algorithm that computes infinitely many accepting computations of M . Thus for all but finitely many $x \in S$, f outputs $g(\langle x, next \rangle)$ and the length is guaranteed to be bigger than $k \log n$. Similarly, we argue that for all but finitely many $x \notin S$, $list_d$ does not contain an accepting node or $next$ is undefined. \square

Now we consider the following hypothesis.

UP-machine Hypothesis: For some $\epsilon > 0$, there is a UP-machine M that accepts 0^* such that no 2^{n^ϵ} -time-bounded machine can compute infinitely many accepting computations of M .

We first make the following observation.

Observation 6.1. *If the UP-machine hypothesis holds, then, there exists a UP-machine M that accepts 0^* such that no 2^{2n} -time-bounded machine can compute infinitely many accepting computations of M .*

Theorem 6.1. *Assume the UP-machine hypothesis holds. Let L be any NP-complete language. For every $S \in \text{NP}$ and every $k > 0$, there is a many-one reduction f from S to L such that for every x , $|f(x)| > k \log |x|$.*

Proof. The hypothesis implies the existence of a UP-machine M that accepts 0^* such that no 2^{2^n} -time bounded machine can compute infinitely many accepting computations of M . Thus by Corollary 6.2, there is a function f such that $f(x)$ is defined for all $x \in S$ and if $f(x)$ is defined $x \in S \Leftrightarrow f(x) \in L$. Now consider the following set.

$$T = \{x \mid f(x) \text{ is undefined}\}.$$

Since f is polynomial-time computable, T is in P, and also $T \subseteq \bar{S}$. Now consider the following set. Let a_n be the unique accepting computation of $M(0^n)$.

$$T' = \{\langle x, y \rangle \mid x \in T, |x| = n, y \leq a_n\}.$$

Since T is in P and a_n is unique, $T' \in \text{UP} \cap \text{co-UP}$. Thus there is a many-one reduction from T' to \bar{L} . Arguing as in Lemma 5.1, we claim that there is a polynomial-time many-one reduction g from T to \bar{L} such that if $x \in T$, then $|g(x)| > k \log n$.

Now consider the following reduction h from S to L : Given x , if $f(x)$ is defined, then output $f(x)$, else output $g(x)$.

Whenever $f(x)$ is defined we have $x \in S \Rightarrow f(x) \in L$. Also recall that for every $x \in S$, $f(x)$ is defined. Thus $x \in S \Rightarrow h(x) \in L$. Consider the case $x \notin S$. If $f(x)$ is defined, then $f(x) \notin L$, thus $h(x) \notin L$. If $f(x)$ is undefined, then $x \in T$. Recall that g is a reduction from T to \bar{L} . Thus $x \in T \Leftrightarrow g(x) \in \bar{L}$. Thus in this case, $h(x) \notin L$. Thus h is a valid reduction from S to L . Since f and g are polynomial-time computable, h is polynomial-time computable. Since $|f(x)|$ and $|g(x)|$ (if defined) are bigger than $k \log n$, $|h(x)| > k \log n$, for every x . \square

7 Robustness

Recently Buhrman and Torenvliet [BT04] proved that Turing-complete sets for EXP are robust against log-dense sets in P. Using similar ideas, we can prove the same for NP. The proof is easier though, due to the fact that search reduces to decision for all Turing-complete sets for NP [HS01]. A set S is *log-dense* if there is a constant $c > 0$ such that for all n , $\|S^{\leq n}\| \leq c \log n$.

Theorem 7.1. *If a set A is Turing-complete for NP and S is a log-dense set in P, then $A - S$ is Turing-complete for NP.*

Proof. Let A be Turing complete for NP and let S be a log-dense set in P. Then $A - S$ belongs to NP, because S belongs to P. Now we show that A is Turing reducible to $A - S$ in polynomial time. Consider the machine T that reduces search to decision for A in time $p(n)$, for some polynomial p . Let $c > 0$ be a constant such that for all n , $\|S^{\leq n}\| \leq c \log n$. Then the following machine M is a polynomial time Turing reduction from A to $A - S$:

- 1 Input x
- 2 For all bit strings s of length $c \log p(|x|)$ do
- 3 $k \leftarrow 0$;

```

4   Repeat
5     Simulate T on x until T makes the next query q;
6     If  $q \notin S$  then continue simulation with YES iff  $q \in A - S$ ;
7     Else
8       Continue the simulation with YES iff  $s_k = 1$ ;
          //  $s_k$  is the  $k$ -th bit of  $s$ 
9        $k \leftarrow k + 1$ ;
10    Until  $T$  outputs  $y_s$  or rejects;
11    If  $T$  outputs  $y_s$  and  $y_s$  is a witness of  $x$  then ACCEPT;
12 Endfor;
13 REJECT.

```

If $q \notin S$, then a query to $A - S$ has the same answer as a query to A . So in this case M 's simulation of T behaves correctly. At most $c \log p(|x|)$ queries q belong to S . For each of these queries, the bit string s determines the response. If $x \notin A$, then no witness y_s for x exists. So in this case M does not accept x . If $x \in A$, then the bit string s that represents the correct answers to the queries that are in S will make T output a correct witness y_s . Hence, M accepts x . Therefore, the algorithm is correct.

For the running time, there are at most $p(|x|)^c$ iterations of the outer loop, each of which is a simulation of T on x , which costs $p(|x|)$ time. Hence, the total running time is bounded by a polynomial in $|x|$. \square

References

- [Agr02] M. Agrawal. Pseudo-random generators and structure of complete degrees. In *17th Annual IEEE Conference on Computational Complexity*, pages 139–145, 2002.
- [AS84] K. Ambos-Spies. P-mitotic sets. In E. Börger, G. Hasenjäger, and D. Roding, editors, *Logic and Machines, Lecture Notes in Computer Science 177*, pages 1–23. Springer-Verlag, 1984.
- [ASFH87] K. Ambos-Spies, H. Fleischhack, and H. Huwig. Diagonalizations over polynomial time computable sets. *Theoretical Computer Science*, 51:177–204, 1987.
- [ASNT96] K. Ambos-Spies, H. Neis, and A. Terwijn. Genericity and measure for exponential time. *Theoretical Computer Science*, 168(1):3–19, 1996.
- [Ber77] L. Berman. *Polynomial Reducibilities and Complete Sets*. PhD thesis, Cornell University, Ithaca, NY, 1977.
- [BF92] R. Beigel and J. Feigenbaum. On being incoherent without being very hard. *Computational Complexity*, 2:1–17, 1992.
- [BFvMT00] H. Buhrman, L. Fortnow, D. van Melkebeek, and L. Torenvliet. Using autoreducibility to separate complexity classes. *SIAM Journal on Computing*, 29(5):1497–1520, 2000.
- [BG92] R. Beigel and J. Gill. Counting classes: Thresholds, parity, mods, and fewness. *Theoretical Computer Science*, 103:3–23, 1992.

- [BHT98] H. Buhrman, A. Hoene, and L. Torenvliet. Splittings, robustness, and structure of complete sets. *SIAM Journal on Computing*, 27:637–653, 1998.
- [BKS99] B. Borchert, D. Kuske, and F. Stephan. On existentially first-order definable languages and their relation to NP. *Theoretical Informatics and Applications*, 33:259–269, 1999.
- [BLS⁺04] B. Borchert, K. Lange, F. Stephan, P. Tesson, and D. Thérien. The dot-depth and the polynomial hierarchy correspond on the delta levels. In *Developments in Language Theory*, pages 89–101, 2004.
- [BM95] J. Balcazar and E. Mayordomo. A note on genericity and bi-immunity. In *Proceedings of the Tenth Annual IEEE Conference on Computational Complexity*, pages 193–196, 1995.
- [BS85] J. Balcázar and U. Schöning. Bi-immune sets for complexity classes. *Mathematical Systems Theory*, 18(1):1–18, 1985.
- [BSS99] B. Borchert, H. Schmitz, and F. Stephan. Unpublished manuscript, 1999.
- [BT94] H. Buhrman and L. Torenvliet. On the structure of complete sets. In *Proceedings 9th Structure in Complexity Theory*, pages 118–133, 1994.
- [BT98] H. Buhrman and L. Torenvliet. Complete sets and structure in subrecursive classes. In *Proceedings of Logic Colloquium '96*, pages 45–78. Springer-Verlag, 1998.
- [BT04] H. Buhrman and L. Torenvliet. Separating complexity classes using structural properties. In *Proceedings of the 19th IEEE Conference on Computational Complexity*, pages 130–138, 2004.
- [CF91] J.-Y. Cai and M. Furst. PSPACE survives constant-width bottlenecks. *International Journal of Foundations of Computer Science*, 2:67–76, 1991.
- [GH92] K. Ganesan and S. Homer. Complete problems and strong polynomial reducibilities. *SIAM Journal on Computing*, 21:733–742, 1992.
- [GPSS04] C. Glaßer, A. Pavan, A. Selman, and S. Sengupta. Properties of NP-complete sets. In *Proceedings of the 19th Annual IEEE Conference on Computational Complexity*, pages 184–197, 2004.
- [Hit04] J. Hitchcock. Small spans in scaled dimension. In *19th IEEE Conference on Computational Complexity*, pages 104–112, 2004.
- [HLS⁺93] U. Hertrampf, C. Lautemann, T. Schwentick, H. Vollmer, and K. W. Wagner. On the power of polynomial time bit-reductions. In *Proceedings 8th Structure in Complexity Theory*, pages 200–207, 1993.
- [HP04] J. Hitchcock and A. Pavan. Hardness hypotheses, derandomization, and circuit complexity. In *Foundations of Software Technology and Theoretical Computer Science*, 2004. To appear.
- [HS01] S. Homer and A. Selman. *Computability and Complexity Theory*. Texts in Computer Science. Springer, New York, 2001.

- [JL95] D. W. Juedes and J. H. Lutz. The complexity and distribution of hard problems. *SIAM Journal on Computing*, 24:279–295, 1995.
- [Lad73] R. Ladner. Mitotic recursively enumerable sets. *Journal of Symbolic Logic*, 38(2):199–211, 1973.
- [OW91] M. Ogiwara and O. Watanabe. On polynomial-time bounded truth-table reducibility of NP sets to sparse sets. *SIAM Journal of Computing*, 20(3):471–483, 1991.
- [PS02] A. Pavan and A. Selman. Separation of NP-completeness notions. *SIAM Journal on Computing*, 31(3):906–918, 2002.
- [Sch89] U. Schöning. Probabilistic complexity classes and lowness. *Journal of Computer and System Sciences*, 39:84–100, 1989.
- [Sto77] L. Stockmeyer. The polynomial-time hierarchy. *Theoretical Computer Science*, 3:1–22, 1977.
- [SW98] H. Schmitz and K. W. Wagner. The Boolean hierarchy over level 1/2 of the Straubing-Thérien hierarchy. Technical Report 201, Inst. für Informatik, Univ. Würzburg, 1998.
- [Tra70] B. Trahtenbrot. On autoreducibility. *Dokl. Akad. Nauk SSSR*, 192, 1970. Translation in Soviet Math. Dokl. 11: 814– 817, 1970.
- [Tra95] N. Tran. On P-immunity of nondeterministic complete sets. In *Proceedings of the 10th Annual Conference on Structure in Complexity Theory*, pages 262–263. IEEE Computer Society Press, 1995.
- [Tra02] S. Travers. Blattsprachen Komplexitätsklassen: Über Turing-Abschluss und Counting-Operatoren, Studienarbeit, 2002.
- [Wag04] K. W. Wagner. Leaf language classes. In *Proceedings International Conference on Machines, Computations, and Universality*, volume 3354 of *Lecture Notes in Computer Science*. Springer Verlag, 2004.
- [Wra77] C. Wrathall. Complete sets and the polynomial-time hierarchy. *Theoretical Computer Science*, 3:23–33, 1977.
- [Yao90] A. Yao. Coherent functions and program checkers. In *Proceedings of the 22nd Annual Symposium on Theory of Computing*, pages 89–94, 1990.