

Java Messaging Service (JMS)

- ☐ What is messaging?
- ☐ What is the JMS API?
- ☐ How can you use the JMS API?
- ☐ How does the JMS API work with the J2EE platform?
- ☐ See: [jms tutorial-1 3 1.pdf](#)

Messaging

- ☐ Messaging is a method of communication between software components or applications.
- ☐ It enables distributed communication that is loosely coupled.
 - Sender and receiver need not know anything about each other (except the destination and message format)
 - Email is for people what messaging is for applications.
- ☐ Messaging is a peer to peer facility.
 - A messaging client can send mail to and receive messages from any other client.
 - Each messaging client connects to a messaging agent that provides facilities for creating, sending, receiving and reading messages

JMS API

- Allows applications to create, send, receive, and read messages.
- Messages are
 - Asynchronous: a client does not have to request them in order to receive them.
 - Reliable: can ensure message is delivered safely once and only once.


Using JMS API

- A provider wants the components not to depend on other components' interfaces, so that components can be easily replaced.
- The provider wants the application to run whether or not all components are up and running simultaneously.
- The application business model allows a component to send information to another and to continue to operate without receiving immediate response.

Examples using JMS

- ❑ Inventory component that can send message to factory component when inventory level for a product goes below a certain level, so that they can make more cars.
- ❑ The parts components in turn can messages to update inventories and order new parts.
- ❑ Both factory and parts components can send messages to the accounting component to update their budget numbers.
- ❑ Business application can publish updated catalog to its sales force.

Messaging in an Enterprise Application




JMS and J2EE

- ❑ Messaging is an integral part of J2EE 1.3.
- ❑ Application clients, EJB components, and web components can send or synchronously receive a JMS message.
- ❑ Application clients can receive JMS messages asynchronously.
- ❑ Message driven bean enables the asynchronous consumption of messages.
- ❑ Can be used in the place of connector architecture when interacting with existing Enterprise Information Systems (EIS).

JMS Architecture

- ❑ JMS provider: is a messaging system that implements JMS interfaces and provides administrative and control features.
- ❑ JMS clients: are programs or components written in Java that produce or consume messages.
- ❑ Messages: are objects that communicate information between the JMS clients.
- ❑ Administered objects are preconfigured JMS objects created by an administration for the use of clients. Two kinds of administered objects are destinations and connection factories.

JMS API Architecture



- 1: Bind destinations and connection factories objects**
- 2. Client looks up for administered objects in the namespace**
- 3. Establish a logical connection to the looked up object thru a JMS provider.**

2/21/2005

B. Ramamurthy

9

Messaging Domains

- Point-to-Point (PTP) application is built around the concept of message queues, sender and receivers.
 - Each message is addressed to a specific queue and the receiving clients extract messages from the queues established to hold their messages.
 - Each message has only one consumer.
 - A sender and receiver have no time dependencies.
 - The receiver acknowledges the successful processing of a message.
 - Use PTP when every message you send must be processed successfully by one consumer.

2/21/2005

B. Ramamurthy

10

Publish/Subscribe domain

- ❑ Clients address messages to a topic.
- ❑ Each message may multiple consumers.
- ❑ Publishers and subscribers have timing dependencies.
- ❑ Publishers and subscribers are generally anonymous and the system takes care of distributing the messages.

Message Consumption

- ❑ Synchronously: A subscriber or receiver explicitly fetches the message from the destination by calling the receive method.
- ❑ Asynchronous: A client can register a message listener with a consumer. A message listener is similar to an event listener. Whenever a message arrives at the destination, the JMS provider delivers the message by calling the listener's onMessage method, which acts on the content.