

# Deadlock

◆ B.Ramamurthy

CSE421

# Introduction

- ◆ Parallel operation among many devices driven by concurrent processes contribute significantly to high performance. But concurrency also results in contention for resources and possibility of deadlock among the vying processes.
- ◆ *Deadlock* is a situation where a group of processes are permanently blocked waiting for the resources held by each other in the group.
- ◆ Typical application where deadlock is a serious problem: Operating system, data base accesses, and distributed processing.

# System Model

- ◆ Resource types  $R_1, R_2, \dots, R_m$   
*CPU cycles, memory space, I/O devices*
- ◆ Each resource type  $R_i$  has  $W_i$  instances.
- ◆ Each process utilizes a resource as follows:
  - request
  - use
  - release

# Deadlock Characterization

Deadlock can arise if four conditions hold simultaneously.


- ◆ **Mutual exclusion:** only one process at a time can use a resource.
- ◆ **Hold and wait:** a process holding at least one resource is waiting to acquire additional resources held by other processes.
- ◆ **No preemption:** a resource can be released only voluntarily by the process holding it, after that process has completed its task.
- ◆ **Circular wait:** there exists a set  $\{P_0, P_1, \dots, P_n\}$  of waiting processes such that  $P_0$  is waiting for a resource that is held by  $P_1$ ,  $P_1$  is waiting for a resource that is held by  $P_2, \dots, P_{n-1}$  is waiting for a resource that is held by  $P_n$  and  $P_n$  is waiting for a resource that is held by  $P_0$ .

# Resource-Allocation Graph


A set of vertices  $V$  and a set of edges  $E$ .

- ◆  $V$  is partitioned into two types:
  - $P = \{P_1, P_2, \dots, P_n\}$ , the set consisting of all the processes in the system.
  - $R = \{R_1, R_2, \dots, R_m\}$ , the set consisting of all resource types in the system.
- ◆ request edge – directed edge  $P_i \rightarrow R_j$
- ◆ assignment edge – directed edge  $R_j \rightarrow P_i$

# Resource-Allocation Graph (Cont.)



## Resource Allocation Graph with a Deadlock




10/2/2005

B.Ramamurthy

7

## Resource Allocation Graph with a cycle but No Deadlock



10/2/2005

B.Ramamurthy

8

## Methods for Handling Deadlocks

- ◆ Ensure that the system will *never* enter a deadlock state. (pessimistic)
- ◆ Allow the system to enter a deadlock state and then recover. Database systems;
- ◆ Ignore the problem and pretend that deadlocks never occur in the system; Older operating systems; (ostrich algorithm: optimistic)

10/2/2005

B.Ramamurthy

9

## Deadlock Prevention

Restrain the ways request can be made.

- ◆ **Mutual Exclusion** – not required for sharable resources; must hold for nonsharable resources.
- ◆ **Hold and Wait** – must guarantee that whenever a process requests a resource, it does not hold any other resources.
  - Require process to request and be allocated all its resources before it begins execution, or allow process to request resources only when the process has none.
  - Low resource utilization; starvation possible.

10/2/2005

B.Ramamurthy

10

## Deadlock Prevention (Cont.)

- ◆ **No Preemption** –
  - If a process that is holding some resources requests another resource that cannot be immediately allocated to it, then all resources currently being held are released.
  - Preempted resources are added to the list of resources for which the process is waiting.
  - Process will be restarted only when it can regain its old resources, as well as the new ones that it is requesting.
- ◆ **Circular Wait** – impose a total ordering of all resource types, and require that each process requests resources in an increasing order of enumeration.

10/2/2005

B.Ramamurthy

11

## Deadlock Avoidance

Requires that the system has some additional *a priori* information available.

- ◆ Simplest and most useful model requires that each process declare the *maximum number* of resources of each type that it may need.
- ◆ The deadlock-avoidance algorithm dynamically examines the resource-allocation state to ensure that there can never be a circular-wait condition.
- ◆ Resource-allocation *state* is defined by the number of available and allocated resources, and the maximum demands of the processes.

10/2/2005


B.Ramamurthy

12

## Safe State

- ◆ When a process requests an available resource, system must decide if immediate allocation leaves the system in a *safe state*.
- ◆ System is in safe state if there exists a safe sequence of all processes.
- ◆ Sequence  $\langle P_1, P_2, \dots, P_n \rangle$  is safe if for each  $P_i$ , the resources that  $P_i$  can still request can be satisfied by currently available resources + resources held by all the  $P_j$ , with  $j < i$ .
  - If  $P_i$  resource needs are not immediately available, then  $P_i$  can wait until all  $P_j$  have finished.
  - When  $P_i$  is finished,  $P_i$  can obtain needed resources, execute, return allocated resources, and terminate.
  - When  $P_i$  terminates,  $P_{i+1}$  can obtain its needed resources, and so on.

## Safe, Unsafe, Deadlock State



## Resource-Allocation Graph Algorithm

- ◆ Claim edge  $P_i \rightarrow R_j$  indicated that process  $P_i$  may request resource  $R_j$ ; represented by a dashed line.
- ◆ Claim edge converts to request edge when a process requests a resource.
- ◆ When a resource is released by a process, assignment edge reconverts to a claim edge.
- ◆ Resources must be claimed *a priori* in the system.

## Banker's Algorithm

- ◆ Multiple instances.
- ◆ Each process must a priori claim maximum use.
- ◆ When a process requests a resource it may have to wait.
- ◆ When a process gets all its resources it must return them in a finite amount of time.

## Data Structures for the Banker's Algorithm

Let  $n$  = number of processes, and  $m$  = number of resources types.

- ◆ *Available*: Vector of length  $m$ . If available  $[j] = k$ , there are  $k$  instances of resource type  $R_j$  available.
- ◆ *Max*:  $n \times m$  matrix. If  $Max[i,j] = k$ , then process  $P_i$  may request at most  $k$  instances of resource type  $R_j$ .
- ◆ *Allocation*:  $n \times m$  matrix. If Allocation  $[i,j] = k$  then  $P_i$  is currently allocated  $k$  instances of  $R_j$ .
- ◆ *Need*:  $n \times m$  matrix. If  $Need[i,j] = k$ , then  $P_i$  may need  $k$  more instances of  $R_j$  to complete its task.

$$Need[i,j] = Max[i,j] - Allocation[i,j].$$

## Safety Algorithm

1. Let *Work* and *Finish* be vectors of length  $m$  and  $n$ , respectively. Initialize:
  - $Work = Available$
  - $Finish[i] = false$  for  $i = 1, 2, \dots, n$ .
2. Find and  $i$  such that both:
  - (a)  $Finish[i] = false$
  - (b)  $Need[i] \leq Work$
 If no such  $i$  exists, go to step 4.
3.  $Work = Work + Allocation_i$ ,  $Finish[i] = true$  go to step 2.
4. If  $Finish[i] == true$  for all  $i$ , then the system is in a safe state.

## Resource-Request Algorithm for Process $P_i$

$Request$  = request vector for process  $P_i$ . If  $Request_i[j] = k$  then process  $P_i$  wants  $k$  instances of resource type  $R_j$ .

1. If  $Request_i \leq Need_i$ , go to step 2. Otherwise, raise error condition, since process has exceeded its maximum claim.
2. If  $Request_i \leq Available$ , go to step 3. Otherwise  $P_i$  must wait, since resources are not available.
3. Pretend to allocate requested resources to  $P_i$  by modifying the state as follows:

$$Available = Available - Request_i;$$

$$Allocation_i = Allocation_i + Request_i;$$

$$Need_i = Need_i - Request_i;$$

- If safe  $\Rightarrow$  the resources are allocated to  $P_i$ .
- If unsafe  $\Rightarrow P_i$  must wait, and the old resource-allocation state is restored

## Example of Banker's Algorithm

- 5 processes  $P_0$  through  $P_4$ ; 3 resource types  $A$  (10 instances),  $B$  (5 instances), and  $C$  (7 instances).
- Snapshot at time  $T_0$ :

	Allocation			Max			Available		
	A	B	C	A	B	C	A	B	C
$P_0$	0	1	0	7	5	3	3	3	2
$P_1$	2	0	0	3	2	2			
$P_2$	3	0	2	9	0	2			
$P_3$	2	1	1	2	2	2			
$P_4$	0	0	2	4	3	3			

## Example (Cont.)

- The content of the matrix. Need is defined to be  $Max - Allocation$ .

	Need		
	A	B	C
$P_0$	7	4	3
$P_1$	1	2	2
$P_2$	6	0	0
$P_3$	0	1	1
$P_4$	4	3	1

- The system is in a safe state since the sequence  $\langle P_1, P_3, P_4, P_2, P_0 \rangle$  satisfies safety criteria.

## Example $P_1$ Request (1,0,2) (Cont.)

- Check that  $Request \leq Available$  (that is,  $(1,0,2) \leq (3,3,2) \Rightarrow true$ ).

	Allocation			Need			Available		
	A	B	C	A	B	C	A	B	C
$P_0$	0	1	0	7	4	3	2	3	0
$P_1$	3	0	2	0	2	0			
$P_2$	3	0	1	6	0	0			
$P_3$	2	1	1	0	1	1			
$P_4$	0	0	2	4	3	1			

- Executing safety algorithm shows that sequence  $\langle P_1, P_3, P_4 \rangle$  satisfies safety requirement.
- Can request for  $(3,3,0)$  by  $P_2$  be granted?
- Can request for  $(0,2,0)$  by  $P_0$  be granted?

## Deadlock Detection

- Allow system to enter deadlock state
- Detection algorithm
- Recovery scheme

## Single Instance of Each Resource Type

- Maintain *wait-for* graph
  - Nodes are processes.
  - $P_i \rightarrow P_j$  if  $P_i$  is waiting for  $P_j$ .
- Periodically invoke an algorithm that searches for a cycle in the graph.
- An algorithm to detect a cycle in a graph requires an order of  $n^2$  operations, where  $n$  is the number of vertices in the graph.